

SIRO[®]




DESIGNS



CORE PROGRAM

2014

Contents

page		page		page	
4	 <i>Allegra</i> 88-Series	19	 <i>Chicago</i> 15-Series	33	 <i>Gharial</i> 112-Series
5	 <i>Atlantis</i> 77-Series	20	 <i>Decco</i> 106-Series	34	 <i>Ian Smith</i> 63-Series
9	 <i>Baton Rouge</i> 22-Series	21	 <i>Delfin</i> 49-Series	35	 <i>Impala</i> 100-Series
6	 <i>Belina</i> 82-Series	22	 <i>Dots & Stripes</i> 68-Series	39	 <i>Italian Line</i> 97-Series
8	 <i>Belle Epoque</i> 91-Series	24	 <i>Duotones</i> 120-Series	43	 <i>Jazz</i> 53-Series
9	 <i>Belvedere</i> 110-Series	26	 <i>Edelweiss</i> 78-Series	44	 <i>Juliana</i> 54-Series
10	 <i>Big Bang</i> 83-Series	27	 <i>Eos</i> 85-Series	45	 <i>Kenchi</i> 122-Series
12	 <i>Biscayne</i> 117-Series	28	 <i>European Railing</i> 45-Series	46	 <i>Lancaster</i> 40-Series
13	 <i>Botanico</i> 81-Series	30	 <i>Euro Metallic</i> 14-Series	47	 <i>Lenox</i> 57-Series
14	 <i>Butterflies</i> 72-Series	30	 <i>Evangeline</i> 59-Series	48	 <i>Mandalay</i> 119-Series
15	 <i>Caribe</i> 67-Series	31	 <i>Fantasia</i> 80-Series	49	 <i>Merida</i> 89-Series
16	 <i>Chelsea</i> 125-Series	32	 <i>Flowers</i> 101-Series	50	 <i>Metro</i> 35-Series

page		page		page	
51	 Milan 84-Series	69	 Savannah 87-Series	87	 ZN63 124-Series
53	 Mosaic 90-Series	48	 Staccato 113-Series	88	 Etcetera ETC-Series
55	 Nazca 115-Series	70	 Stainless Steel 44-Series	93	 Displays
56	 Nuevo Classico 43-Series	80	 Tech Novelle 46-Series	94	 User Guidelines
58	 Ocean Line 64-Series	81	 Tec-Design 96-Series	95	 General Terms
59	 Popsicle 107-Series	82	 Trapeze 121-Series		
60	 Provence 65-Series	83	 Tyrol 126-Series		
62	 Quadra 116-Series	83	 Vega 104-Series		
65	 Regis 51-Series	84	 Venice 79-Series		
66	 Reno 52-Series	83	 Vermont 28-Series		
67	 Rio 71-Series	85	 Wave 118-Series		
68	 Roslin 105-Series	86	 Zen 123-Series		

KEY TO ABBREVIATIONS:

OL: Overall Length
 CC: Hole Center Distance
 W: Width
 P: Projection (Height)
 Ø: Diameter

All measurements are in millimeters.

Inch-Conversions provided in brackets () are "approximate". For accurate measurements use millimeters only!

All handles and knobs require the use of M4 metric machine screws.

IMPORTANT NOTE:

In addition to obtaining our products directly from our various factories, we also have access to the extensive, international master stock program of SIRO Austria. Thereby, we are able to offer most items from previous US stock selections as well as SIRO's stock items with a lead time of only 2-4 weeks. Since many of our US stock items are also part of SIRO Austria's stock program, we are able to replenish our US inventory of those items in the same time frame when needed.

Please contact us for details or with any questions you may have.



OL: 169 mm (6.65")
CC: 128 mm (5.00")
W: 19 mm (0.75")
P: 31 mm (1.20")

88-116
Bright Nickel



88-118
Bright Nickel

Ø: 25 mm (1.00")
P: 31 mm (1.20")



88-112
Bright Chrome



88-114
Bright Brass

OL: 118 mm (4.65")
CC: 96 mm (3.75")
W: 10 mm (0.40")
P: 33 mm (1.30")



88-106
Bright Chrome



88-108
Antique Brass



88-110
Antique Pewter

OL: 189 mm (7.45")
CC: 128 mm (5.00")
W: 21 mm (0.85")
P: 28 mm (1.10")



88-100
Bright Chrome



88-102
Antique Brass

OL: 88 mm (3.45")
W: 19 mm (0.75")
P: 38 mm (1.50")



88-104
Antique Pewter

Zinc Alloy



77-108
Antique Brass



77-110
Antique Tin

OL: 153 mm (6.00")
CC: 96 mm (3.75")
W: 57 mm (2.25")
P: 25 mm (1.00")



77-104
Antique Brass



77-106
Antique Tin

Ø: 41 mm (1.60")
W: 32 mm (1.25")
P: 38 mm (1.40")



77-100
Antique Brass



77-102
Antique Tin

OL: 153 mm (6.00")
CC: 96 mm (3.75")
W: 57 mm (2.25")
P: 25 mm (1.00")

Belina



Design E



Bright Chrome



Matte Aluminum

W: 20 mm (0.80")
P: 19 mm (0.75")



Matte Nickel



Fine Brushed Nickel

Design E (stocked in 2 different lengths)

82-228	OL: 142 mm (5.60")	CC: 128 mm (5.00")	Bright Chrome
82-230	OL: 142 mm (5.60")	CC: 128 mm (5.00")	Matte Nickel
82-232	OL: 142 mm (5.60")	CC: 128 mm (5.00")	Fine Brushed Nickel
82-236	OL: 142 mm (5.60")	CC: 128 mm (5.00")	Matte Aluminum
82-238	OL: 110 mm (4.30")	CC: 96 mm (3.75")	Bright Chrome
82-240	OL: 110 mm (4.30")	CC: 96 mm (3.75")	Matte Nickel
82-242	OL: 110 mm (4.30")	CC: 96 mm (3.75")	Fine Brushed Nickel
82-246	OL: 110 mm (4.30")	CC: 96 mm (3.75")	Matte Aluminum

Design I



W: 20 mm (0.80")
P: 26 mm (1.00")

Fine Brushed Nickel

Design J



W: 15 mm (0.60")
P: 32 mm (1.25")

Matte Aluminum

Design I (stocked in 3 different lengths)

82-260	OL: 192 mm (7.55")	CC: 160 mm (6.30")	Fine Brushed Nickel
82-268	OL: 154 mm (6.05")	CC: 128 mm (5.00")	Fine Brushed Nickel
82-276	OL: 116 mm (4.60")	CC: 96 mm (3.75")	Fine Brushed Nickel

Design K



W: 18 mm (0.70")
P: 32 mm (1.25")

Matte Nickel

Design J (stocked in 8 different lengths)

82-280	OL: 524 mm (20.65")	CC: 480 mm (18.90")	Matte Aluminum
82-284	OL: 428 mm (16.85")	CC: 384 mm (15.10")	Matte Aluminum
82-288	OL: 364 mm (14.35")	CC: 320 mm (12.60")	Matte Aluminum
82-292	OL: 332 mm (13.05")	CC: 288 mm (11.35")	Matte Aluminum
82-296	OL: 236 mm (9.30")	CC: 192 mm (7.55")	Matte Aluminum
82-300	OL: 204 mm (8.05")	CC: 160 mm (6.30")	Matte Aluminum
82-304	OL: 172 mm (6.75")	CC: 128 mm (5.00")	Matte Aluminum
82-308	OL: 140 mm (5.50")	CC: 96 mm (3.75")	Matte Aluminum

Design K (stocked in 2 different lengths)

82-336	OL: 168 mm (6.60")	CC: 128 mm (5.00")	Matte Nickel
82-342	OL: 136 mm (5.35")	CC: 96 mm (3.75")	Matte Nickel

Design L



W: 10 mm (0.40")
P: 30 mm (1.20")

Bright Chrome

Design L (stocked in 4 different lengths)

82-170	OL: 210 mm (8.25")	CC: 192 mm (7.55")	Bright Chrome
82-176	OL: 210 mm (8.25")	CC: 192 mm (7.55")	Fine Brushed Nickel
82-182	OL: 178 mm (7.00")	CC: 160 mm (6.30")	Bright Chrome
82-188	OL: 178 mm (7.00")	CC: 160 mm (6.30")	Fine Brushed Nickel
82-194	OL: 146 mm (5.75")	CC: 128 mm (5.00")	Bright Chrome
82-200	OL: 146 mm (5.75")	CC: 128 mm (5.00")	Fine Brushed Nickel
82-206	OL: 114 mm (4.50")	CC: 96 mm (3.75")	Bright Chrome
82-212	OL: 114 mm (4.50")	CC: 96 mm (3.75")	Fine Brushed Nickel

Belle Epoque

Zinc Alloy



91-120
Bright Chrome



91-122
Matte Aluminum



91-124
Matte Nickel



91-126
Fine Brushed Nickel

OL: 150 mm (5.90")
CC: 128 mm (5.00")
W: 16 mm (0.65")
P: 28 mm (1.10")



91-100
Bright Chrome



91-140
Bright Chrome



91-102
Matte Aluminum



91-142
Matte Aluminum



91-104
Matte Nickel



91-106
Fine Brushed Nickel



91-144
Matte Nickel



91-146
Fine Brushed Nickel

OL: 113 mm (4.45")
CC: 96 mm (3.75")
W: 16 mm (0.65")
P: 27 mm (1.05")

Baton Rouge

Ceramic



22-104
White

Ø: 32 mm (1.25")
P: 24 mm (0.95")




22-105
Cracked White



Belvedere

Zinc Alloy / Swarovski Crystal



110-106
Matte Aluminum

OL: 39 mm (1.55")
W: 20 mm (0.80")
P: 22 mm (0.85")



110-102
Bright Chrome



110-110
Bright Brass



110-100
Bright Chrome



110-104
Matte Aluminum



110-108
Bright Brass

Swarovski is a registered trademark of Swarovski AG

OL: 136 mm (5.35")
CC: 128 mm (5.00")
W: 20 mm (0.80")
P: 22 mm (0.85")

Big Bang



83-112
Antique Brass



83-114
Antique Copper



83-116
Antique Pewter

OL: 39 mm (1.55")
W: 42 mm (1.65")
P: 22 mm (0.85")



83-100
Antique Brass



83-102
Antique Copper



83-130
Antique Brass



83-120
Antique Copper



83-118
Antique Brass



83-104
Antique Pewter

OL: 33 mm (1.30")
W: 26 mm (1.00")
P: 22 mm (0.85")



83-132
Antique Copper

OL: 51 mm (2.00")
W: 32 mm (1.25")
P: 23 mm (0.90")



83-122
Antique Pewter



83-106
Antique Brass



83-108
Antique Copper



83-134
Antique Pewter



83-124
Antique Brass



83-126
Antique Copper



83-110
Antique Pewter

Ø: 32 mm (1.25")
P: 20 mm (0.80")

Ø: 43 mm (1.70")
P: 19 mm (0.75")



83-128
Antique Pewter

OL: 51 mm (2.00")
W: 32 mm (1.25")
P: 23 mm (0.90")



83-208
Antique Brass



83-210
Antique Copper



83-212
Antique Pewter

OL: 49 mm (1.95")
W: 40 mm (1.55")
P: 20 mm (0.80")



83-184
Antique Brass



83-186
Antique Copper



83-188
Antique Pewter

OL: 48 mm (1.90")
W: 34 mm (1.35")
P: 26 mm (1.00")



83-156
Antique Brass

OL: 110 mm (4.35")
CC: 64 mm (2.50")
W: 27 mm (1.05")
P: 20 mm (0.80")



OL: 125 mm (4.90")
CC: 96 mm (3.75")
W: 30 mm (1.20")
P: 25 mm (1.00")



83-162
Antique Pewter

83-154
Antique Brass

83-158
Antique Copper



83-148
Antique Copper

OL: 112 mm (4.40")
CC: 64 mm (2.50")
W: 15 mm (0.60")
P: 22 mm (0.85")



OL: 139 mm (5.45")
CC: 96 mm (3.75")
W: 19 mm (0.75")
P: 22 mm (0.85")



83-150
Antique Pewter

83-142
Antique Brass

83-146
Antique Copper



83-176
Antique Pewter

OL: 106 mm (4.15")
CC: 64 mm (2.50")
W: 15 mm (0.60")
P: 22 mm (0.85")



OL: 128 mm (5.00")
CC: 96 mm (3.75")
W: 19 mm (0.75")
P: 25 mm (1.00")



83-174
Antique Pewter

83-166
Antique Brass

83-170
Antique Copper

83-168
Antique Brass

83-172
Antique Copper

Biscayne

Zinc Alloy



117-120 Bright Chrome
117-122 Fine Brushed Nickel

OL: 38 mm (1.50")
CC: 32 mm (1.25")
W: 38 mm (1.50")
P: 22 mm (0.85")



117-100
Bright Chrome

OL: 137 mm (5.40")
CC: 96 mm (3.75")
W: 30 mm (1.20")
P: 19 mm (0.75")




117-102
Bright Chrome

OL: 168 mm (6.60")
CC: 128 mm (5.00")
W: 30 mm (1.20")
P: 22 mm (0.85")



117-104
Bright Chrome

OL: 200 mm (7.85")
CC: 160 mm (6.30")
W: 30 mm (1.20")
P: 24 mm (0.95")



117-108
Bright Chrome

OL: 265 mm (10.45")
CC: 224 mm (8.80")
W: 30 mm (1.20")
P: 25 mm (1.00")

Fine Brushed Nickel

117-110	OL: 137 mm (5.40")	CC: 96 mm (3.75")
117-112	OL: 168 mm (6.60")	CC: 128 mm (5.00")
117-114	OL: 200 mm (7.85")	CC: 160 mm (6.30")
117-116	OL: 232 mm (9.15")	CC: 192 mm (7.55")
117-118	OL: 265 mm (10.45")	CC: 224 mm (8.80")

117-106
Bright Chrome

OL: 232 mm (9.15")
CC: 192 mm (7.55")
W: 30 mm (1.20")
P: 24 mm (0.95")

Ceramic



81-114



81-116



81-120



81-118



81-122



81-124



81-128



81-126



81-100



81-130



81-132



81-110



81-112



81-136

81-100	Ø: 29 mm (1.15")	P: 32 mm (1.25")
81-102	Ø: 38 mm (1.50")	P: 32 mm (1.25")
81-104	Ø: 28 mm (1.10")	P: 39 mm (1.55")
81-106	Ø: 35 mm (1.40")	P: 39 mm (1.55")
81-108	Ø: 35 mm (1.40")	P: 32 mm (1.25")
81-110	Ø: 27 mm (1.05")	P: 32 mm (1.25")
81-112	Ø: 27 mm (1.05")	P: 32 mm (1.25")
81-114	Ø: 38 mm (1.50")	P: 34 mm (1.35")
81-116	Ø: 31 mm (1.20")	P: 28 mm (1.10")
81-118	Ø: 38 mm (1.50")	P: 34 mm (1.35")
81-120	Ø: 31 mm (1.20")	P: 28 mm (1.10")
81-122	Ø: 38 mm (1.50")	P: 34 mm (1.35")
81-124	Ø: 31 mm (1.20")	P: 28 mm (1.10")
81-126	Ø: 38 mm (1.50")	P: 34 mm (1.35")
81-128	Ø: 31 mm (1.20")	P: 28 mm (1.10")
81-130	Ø: 29 mm (1.15")	P: 32 mm (1.25")
81-132	Ø: 29 mm (1.15")	P: 32 mm (1.25")
81-134	Ø: 35 mm (1.40")	P: 32 mm (1.25")
81-136	Ø: 27 mm (1.05")	P: 32 mm (1.25")



81-102



81-108



81-104



81-106



81-134

Butterflies

Polyresin



72-100



72-102



72-104



72-106



72-108



72-110



72-116



72-114



72-112



72-120



72-118

72-100	OL: 47 mm (1.85")	W: 40 mm (1.55")	P: 29 mm (1.15")
72-102	OL: 47 mm (1.85")	W: 42 mm (1.65")	P: 28 mm (1.10")
72-104	OL: 49 mm (1.95")	W: 43 mm (1.70")	P: 28 mm (1.10")
72-106	OL: 49 mm (1.95")	W: 47 mm (1.85")	P: 28 mm (1.10")
72-108	OL: 50 mm (1.95")	W: 41 mm (1.60")	P: 30 mm (1.20")
72-110	OL: 48 mm (1.90")	W: 43 mm (1.70")	P: 29 mm (1.15")
72-112	OL: 51 mm (2.00")	W: 41 mm (1.60")	P: 28 mm (1.10")
72-114	OL: 50 mm (1.95")	W: 45 mm (1.75")	P: 26 mm (1.00")
72-116	OL: 50 mm (1.95")	W: 41 mm (1.60")	P: 29 mm (1.15")
72-118	OL: 46 mm (1.80")	W: 43 mm (1.70")	P: 27 mm (1.05")
72-120	OL: 50 mm (1.95")	W: 43 mm (1.70")	P: 29 mm (1.15")

Polyresin



67-108
OL: 61 mm (2.40")
W: 43 mm (1.70")
P: 32 mm (1.25")



67-110
OL: 57 mm (2.25")
W: 32 mm (1.25")
P: 27 mm (1.05")



67-112
OL: 57 mm (2.25")
W: 48 mm (1.90")
P: 27 mm (1.05")



67-114
OL: 61 mm (2.80")
W: 40 mm (1.55")
P: 27 mm (1.05")



67-130
OL: 47 mm (1.85")
W: 37 mm (1.45")
P: 30 mm (1.20")



67-116
Ø: 55 mm (2.15")
P: 27 mm (1.05")



67-124
OL: 65 mm (2.55")
W: 29 mm (1.15")
P: 27 mm (1.05")



67-128
OL: 52 mm (2.05")
W: 27 mm (1.05")
P: 29 mm (1.15")



67-126
Ø: 49 mm (1.95")
P: 30 mm (1.20")



67-118
OL: 56 mm (2.20")
W: 41 mm (1.60")
P: 30 mm (1.20")



Chelsea



*** IMPORTANT NOTE:**

Our leather is an authentic natural product. Some variation in texture and color is normal and not a defect.



Design A

OL: 96 mm (3.75")
W: 40 mm (1.60")
P: 35 mm (1.40")

Design B

OL: 84 mm (3.30")
W: 40 mm (1.60")
P: 30 mm (1.20")

Design D



OL: 200 mm (7.85")
CC: 160 mm (6.30")
W: 40 mm (1.60")
P: 38 mm (1.50")



Design C

OL: 170 mm (6.70")
CC: 128 mm (5.00")
W: 40 mm (1.60")
P: 33 mm (1.30")





Black / Matte Black

- 125-100 Design A
- 125-112 Design B
- 125-124 Design C
- 125-136 Design D



Tan / Matte Black

- 125-200 Design A
- 125-212 Design B
- 125-224 Design C
- 125-236 Design D



Black / Bright Chrome

- 125-102 Design A
- 125-114 Design B
- 125-126 Design C
- 125-138 Design D




Tan / Bright Chrome

- 125-202 Design A
- 125-214 Design B
- 125-226 Design C
- 125-238 Design D



Black / Bright Brass

- 125-104 Design A
- 125-116 Design B
- 125-128 Design C
- 125-140 Design D



Tan / Bright Brass

- 125-204 Design A
- 125-216 Design B
- 125-228 Design C
- 125-240 Design D



Black / Fine Brushed Nickel

- 125-106 Design A
- 125-118 Design B
- 125-130 Design C
- 125-142 Design D



Tan / Fine Brushed Nickel

- 125-206 Design A
- 125-218 Design B
- 125-230 Design C
- 125-242 Design D



Black / Antique Silver

- 125-108 Design A
- 125-120 Design B
- 125-132 Design C
- 125-144 Design D



Tan / Antique Silver

- 125-208 Design A
- 125-220 Design B
- 125-232 Design C
- 125-244 Design D



Black / Oil Rubbed Bronze

- 125-110 Design A
- 125-122 Design B
- 125-134 Design C
- 125-146 Design D



Tan / Oil Rubbed Bronze

- 125-210 Design A
- 125-222 Design B
- 125-234 Design C
- 125-246 Design D




White / Matte Black

- 125-300 Design A
- 125-312 Design B
- 125-324 Design C
- 125-336 Design D




Burgundy / Matte Black

- 125-400 Design A
- 125-412 Design B
- 125-424 Design C
- 125-436 Design D



White / Bright Chrome

- 125-302 Design A
- 125-314 Design B
- 125-326 Design C
- 125-338 Design D



Burgundy / Bright Chrome

- 125-402 Design A
- 125-414 Design B
- 125-426 Design C
- 125-438 Design D



White / Bright Brass

- 125-304 Design A
- 125-316 Design B
- 125-328 Design C
- 125-340 Design D



Burgundy / Bright Brass

- 125-404 Design A
- 125-416 Design B
- 125-428 Design C
- 125-440 Design D



White / Fine Brushed Nickel

- 125-306 Design A
- 125-318 Design B
- 125-330 Design C
- 125-342 Design D



Burgundy / Fine Brushed Nickel

- 125-406 Design A
- 125-418 Design B
- 125-430 Design C
- 125-442 Design D




White / Antique Silver

- 125-308 Design A
- 125-320 Design B
- 125-332 Design C
- 125-344 Design D



Burgundy / Antique Silver

- 125-408 Design A
- 125-420 Design B
- 125-432 Design C
- 125-444 Design D



White / Oil Rubbed Bronze

- 125-310 Design A
- 125-322 Design B
- 125-334 Design C
- 125-346 Design D



Burgundy / Oil Rubbed Bronze

- 125-410 Design A
- 125-422 Design B
- 125-434 Design C
- 125-446 Design D

Chicago

Zinc Alloy



15-170
Matte Nickel



15-116
Bright Brass



15-160
Matte Chrome

All items:
Ø: 10 mm (0.40")
P: 29 mm (1.15")

OL: 106 mm (4.20") CC: 96 mm (3.75")
OL: 138 mm (5.45") CC: 128 mm (5.00")
OL: 202 mm (7.95") CC: 192 mm (7.55")

Ordering # Matte Black	Ordering # Bright Brass	Ordering # Bright Chrome	Ordering # Matte Chrome	Ordering # Matte Nickel	Ordering # Brushed Nickel
15-104	15-106	15-114	15-160	15-158	15-190
15-108	15-116	15-164	15-162	15-166	15-192
	15-176	15-130	15-172	15-170	15-196



106-100
Clear / Matte Aluminum



106-104
Blue / Matte Aluminum




106-108
Pink / Matte Aluminum



106-112
Red / Matte Aluminum



106-116
Orange / Matte Aluminum



106-120
Olive / Matte Aluminum

OL: 126 mm (4.95")
CC: 96 mm (3.75")
W: 20 mm (0.80")
P: 26 mm (1.00")



106-102
Clear / Matte Aluminum



106-114
Red / Matte Aluminum



106-106
Blue / Matte Aluminum



106-118
Orange / Matte Aluminum



106-110
Pink / Matte Aluminum



106-122
Olive / Matte Aluminum

Zinc Alloy


OL: 130 mm (5.10")
CC: 96 mm (3.75")
Ø: 12 mm (0.45")
P: 29 mm (1.15")



49-100
Matte Black



49-106
Bright Chrome



49-108
Matte Nickel



49-112
Fine Brushed Nickel



- 49-126 Bright Chrome
- 49-128 Matte Nickel
- 49-132 Fine Brushed Nickel



49-120
Matte Black

OL: 165 mm (6.50")
CC: 128 mm (5.00")
Ø: 13 mm (0.50")
P: 30 mm (1.20")

Dots & Stripes



OL: 52 mm (2.00")
CC: 16 mm (0.60")
W: 20 mm (0.80")
P: 45 mm (1.80")

68-143
Bright Chrome

- 68-143** Bright Chrome
- 68-145** Matte Chrome
- 68-147** Matte Nickel
- 68-149** Fine Brushed Nickel




OL: 154 mm (6.05")
CC: 16 mm (0.60")
W: 20 mm (0.80")
P: 77 mm (3.05")

68-137
Matte Nickel


- 68-133** Bright Chrome
- 68-135** Matte Chrome
- 68-137** Matte Nickel
- 68-139** Fine Brushed Nickel



68-144
Bright Chrome




68-134
Bright Chrome




68-136
Matte Chrome



68-146
Matte Chrome



68-138
Matte Nickel



68-140
Fine Brushed Nickel

OL: 27 mm (1.05")
W: 15 mm (0.60")
P: 28 mm (1.10")



68-148
Matte Nickel



68-150
Fine Brushed Nickel

OL: 116 mm (4.55")
CC: 96 mm (3.75")
W: 15 mm (0.60")
P: 27 mm (1.05")



68-158
Matte Nickel

OL: 154 mm (6.05")
CC: 128 mm (5.00")
W: 15 mm (0.60")
P: 27 mm (1.05")

- 68-154** Bright Chrome
- 68-156** Matte Chrome
- 68-158** Matte Nickel
- 68-160** Fine Brushed Nickel



68-102
Bright Brass



68-104
Bright Chrome



68-106
Matte Chrome



68-108
Matte Nickel



68-110
Fine Brushed Nickel

OL: 130 mm (5.10")
CC: 96 mm (3.75")
W: 15 mm (0.60")
P: 24 mm (0.95")



68-107
Matte Nickel



68-128
Matte Nickel



68-120
Fine Brushed Nickel

68-113
Bright Chrome



OL: 70 mm (2.75")
CC: 32 mm (1.25")
W: 18 mm (0.70")
P: 46 mm (1.80")

OL: 150 mm (5.90")
CC: 32 mm (1.25")
W: 18 mm (0.70")
P: 64 mm (2.50")

68-101 Bright Brass
68-103 Bright Chrome
68-105 Matte Chrome
68-107 Matte Nickel
68-109 Fine Brushed Nickel

68-111 Bright Brass
68-113 Bright Chrome
68-115 Matte Chrome
68-117 Matte Nickel
68-119 Fine Brushed Nickel



68-122
Bright Brass



68-126
Matte Chrome



68-124
Bright Chrome



68-130
Fine Brushed Nickel

OL: 20 mm (0.80")
W: 16 mm (0.65")
P: 24 mm (0.95")

OL: 162 mm (6.40")
CC: 128 mm (5.00")
W: 15 mm (0.60")
P: 24 mm (0.95")

68-112 Bright Brass
68-114 Bright Chrome
68-116 Matte Chrome
68-118 Matte Nickel
68-120 Fine Brushed Nickel

Duotones




Zinc Alloy / ABS Plastic



OL: 39 mm (1.55")
W: 20 mm (0.80")
P: 22 mm (0.85")

120-104 Bright Chrome / Black
120-106 Bright Chrome / White



OL: 136 mm (5.35")
CC: 128 mm (5.00")
W: 20 mm (0.80")
P: 22 mm (0.85")

120-100 Bright Chrome / Black
120-102 Bright Chrome / White



W: 30 mm (1.20")
P: 25 mm (1.00")

Bright Chrome & Black Glass Effect

120-120 OL: 137 mm (5.40") CC: 128 mm (5.00")
120-124 OL: 200 mm (7.85") CC: 192 mm (7.55")

Bright Chrome & White Glass Effect

120-122 OL: 137 mm (5.40") CC: 128 mm (5.00")
120-126 OL: 200 mm (7.85") CC: 192 mm (7.55")




W: 30 mm (1.20")
P: 25 mm (1.00")

Fine Brushed Nickel & Black Glass Effect

120-128 OL: 137 mm (5.40") CC: 128 mm (5.00")
120-132 OL: 200 mm (7.85") CC: 192 mm (7.55")

Bright Chrome & White Glass Effect

120-130 OL: 137 mm (5.40") CC: 128 mm (5.00")
120-134 OL: 200 mm (7.85") CC: 192 mm (7.55")



Zinc Alloy / Wood



120-160 Fine Brushed Nickel / Dark Brown

OL: 170 mm (6.70")
 CC: 160 mm (6.30")
 W: 22 mm (0.85")
 P: 25 mm (1.00")



120-162 Fine Brushed Nickel / Dark Brown

OL: 28 mm (1.10")
 CC: 16 mm (0.65")
 W: 22 mm (0.85")
 P: 25 mm (1.00")

Zinc Alloy / Plastic



- 120-150 Bright Chrome / Black
- 120-152 Bright Chrome / White
- 120-154 Fine Brushed Nickel / Black
- 120-156 Fine Brushed Nickel / White

OL: 168 mm (6.60")
 CC: 128 mm (5.00")
 or 160 mm (6.30")
 W: 10 mm (0.40")
 P: 28 mm (1.10")

Zinc Alloy / Steel



Bright Chrome & Matte Black

- 120-140 OL: 108 mm (4.25") CC: 96 mm (3.75")
- 120-142 OL: 140 mm (5.50") CC: 128 mm (5.00")

W: 16 mm (0.65")
 P: 37 mm (1.45")

Fine Brushed Nickel & Matte Black

- 120-144 OL: 108 mm (4.25") CC: 96 mm (3.75")
- 120-146 OL: 140 mm (5.50") CC: 128 mm (5.00")



Antique Tin

78-110

OL: 44 mm (1.75")
W: 52 mm (2.05")
P: 27 mm (1.05")



78-112

OL: 34 mm (1.35")
W: 34 mm (1.35")
P: 25 mm (1.00")



78-116

OL: 60 mm (2.35")
CC: 28 mm (1.10")
W: 52 mm (2.05")
P: 25 mm (1.00")



78-132
Ceramic / Antique Tin

Ø: 38 mm (1.50")
P: 30 mm (1.20")



78-146

Ø: 22 mm (0.85")
P: 15 mm (0.60")



78-108

OL: 161 mm (1.35")
CC: 128 mm (5.00")
P: 28 mm (1.10")



78-114

OL: 189 mm (7.45")
CC: 23 mm (0.90")
W: 72 mm (2.85")
P: 82 mm (3.25")

Zinc Alloy



85-100
Bright Chrome



85-106
Matte Aluminum



85-104
Fine Brushed Nickel

OL: 16 mm (0.65")
W: 16 mm (0.65")
P: 24 mm (0.95")



85-116
Bright Chrome



85-122
Matte Aluminum



85-120
Fine Brushed Nickel

Ø: 16 mm (0.65")
P: 24 mm (0.95")


OL: 112 mm (4.40")
CC: 96 mm (3.75")
W: 16 mm (0.65")
P: 24 mm (0.95")



85-114
Matte Aluminum



85-130
Matte Aluminum



85-108
Bright Chrome



85-124
Bright Chrome



85-112
Fine Brushed Nickel



85-128
Fine Brushed Nickel

OL: 112 mm (4.40")
CC: 96 mm (3.75")
W: 16 mm (0.65")
P: 24 mm (0.95")



European Railing



45-105
Fine Brushed Nickel



45-135
Matte Black



45-165
Bright Chrome



45-195
Matte Chrome

AMERICAN REMODELING SIZES

		Ordering # Brushed Nickel	Ordering # Matte Black	Ordering # Bright Chrome	Ordering # Matte Chrome	Ordering # Oil Rubbed Bronze
OL: 152 mm (6.00")	CC: 2.75"	45-117	45-141	45-171	45-201	45-261
OL: 158 mm (6.20")	CC: 3"	45-105	45-135	45-165	45-195	45-255
OL: 171 mm (6.75")	CC: 3.5"	45-107	45-137	45-167	45-197	45-257
OL: 184 mm (7.25")	CC: 4"	45-109	45-139	45-169	45-199	45-259



45-255
Oil Rubbed Bronze

Ø: 12 mm (0.50")
P: 32 mm (1.30")



Fine Brushed Nickel

45-101



45-103



45-100



45-104




Ø: 12 mm (0.50")
P: 32 mm (1.30")

Additional sizes available in Fine Brushed Nickel:


45-113 OL: 242 mm (9.55") CC: 160 mm (6.30")
45-115 OL: 274 mm (10.80") CC: 192 mm (7.55")

Matte Black




Ø: 12 mm (0.50")
P: 32 mm (1.30")

Bright Chrome



Ø: 12 mm (0.50")
P: 32 mm (1.30")

Matte Chrome



Ø: 12 mm (0.50")
P: 32 mm (1.30")

Oil Rubbed Bronze



Ø: 12 mm (0.50")
P: 32 mm (1.30")

* IMPORTANT NOTE

The listed door/drawer sizes apply to pulls being installed horizontally on drawers and vertically on doors. For horizontal installation on doors as well, pulls may have to be at least one size shorter in order to allow sufficient space between the end of the pull and the edge of the door on the hinged side.

Depending on the placement of doors in the overall kitchen layout and the opening angle of the door hinges, this space may be imperative to ensure that pulls do not obstruct a door's 'normal' opening function by being positioned too close to the edge of the door. Please check your particular installation scenario and verify all pull sizes for your application prior to drilling any holes.

* For Cabinet Door/
Drawer Size

			Ordering # Brushed Nickel	Ordering # Matte Black	Ordering # Bright Chrome	Ordering # Matte Chrome	Ordering # Oil Rubbed Bronze
OL: 178 mm (7")	CC: 96 mm (3.75")	9"	45-100	45-130	45-160	45-190	45-250
OL: 254 mm (10")	CC: 176 mm (6.90")	12"	45-102	45-132	45-162	45-192	45-252
OL: 330 mm (13")	CC: 248 mm (9.75")	15"	45-104	45-134	45-164	45-194	45-254
OL: 406 mm (16")	CC: 328 mm (12.90")	18"	45-106	45-136	45-166	45-196	45-256
OL: 482 mm (19")	CC: 400 mm (15.75")	21"	45-108	45-138	45-168	45-198	45-258
OL: 559 mm (22")	CC: 480 mm (18.90")	24"	45-110	45-140	45-170	45-200	45-260
OL: 635 mm (25")	CC: 552 mm (21.75")	27"	45-112	45-142	45-172	45-202	45-262
OL: 711 mm (28")	CC: 634 mm (24.95")	30"	45-114	45-144	45-174	45-204	45-264
OL: 863 mm (34")	CC: 784 mm (30.90")	36"	45-116	45-146	45-176	N/A	45-268
OL: 788 mm (31")	CC: 706 mm (27.80")	33"	45-122	45-152	45-182	45-212	45-266
OL: 41 mm (1.60")	one stem	N/A	45-101	45-131	45-161	45-191	45-251
OL: 82 mm (3.25")	one stem	N/A	45-103	45-133	45-163	45-193	45-253

Euro-Metallic

Zinc Alloy

OL: 158 mm (6.20")
 CC: 96 mm (3.75")
 Ø: 14 mm (0.55")
 P: 33 mm (1.30")



14-104
Bright Chrome



14-102
Matte Chrome



14-106
Matte Nickel



14-110
Fine Brushed Nickel

Evangeline

Zinc Alloy



59-120
Antique Brass

Ø: 40 mm (1.55")
 P: 32 mm (1.30")



59-122
Antique Brass

Ø: 34 mm (1.35")
 P: 29 mm (1.15")

59-132
Antique Brass

OL: 80 mm (3.15")
 P: 22 mm (0.85")



59-130
Antique Brass

OL: 125 mm (4.90")
 CC: 96 mm (3.75")
 W: 55 mm (2.15")
 P: 22 mm (0.85")



59-128
Antique Brass

OL: 112 mm (4.40")
 CC: 96 mm (3.75")
 W: 33 mm (1.30")
 P: 24 mm (0.95")



59-124
Antique Brass

OL: 65 mm (2.55")
 Ø: 45 mm (1.75")
 P: 20 mm (0.80")



Polyresin



80-144

Ø: 40 mm (1.55")
P: 30 mm (1.20")



80-142

Ø: 39 mm (1.55")
P: 31 mm (1.20")




80-146

Ø: 40 mm (1.55")
P: 30 mm (1.20")



80-148

OL: 47 mm (1.85")
W: 41 mm (1.60")
P: 31 mm (1.20")



80-170

OL: 78 mm (3.05")
W: 38 mm (1.50")
P: 26 mm (1.00")



80-172

OL: 49 mm (1.95")
W: 45 mm (1.75")
P: 28 mm (1.10")



80-140

OL: 53 mm (2.10")
W: 50 mm (1.95")
P: 30 mm (1.20")



80-176

OL: 69 mm (2.70")
W: 37 mm (1.45")
P: 29 mm (1.15")



80-174

OL: 43 mm (2.70")
W: 42 mm (1.65")
P: 28 mm (1.10")

Flowers

Polyresin



101-100
Ø: 50 mm (1.95")
P: 33 mm (1.30")



101-102
Ø: 50 mm (1.95")
P: 31 mm (1.20")



101-104
Ø: 50 mm (1.95")
P: 35 mm (1.40")



101-110
Ø: 50 mm (1.95")
P: 29 mm (1.15")



101-108
Ø: 38 mm (1.50")
P: 28 mm (1.10")



101-106
Ø: 50 mm (1.95")
P: 35 mm (1.40")



101-114
Ø: 50 mm (1.95")
P: 29 mm (1.15")



101-112
Ø: 38 mm (1.50")
P: 28 mm (1.10")

Zinc Alloy



112-114
Brushed Antique Brass

OL: 120 mm (4.70")
CC: 20 mm (0.80")
W: 26 mm (1.00")
P: 72 mm (2.85")



112-112
Antique Pewter



112-116
Antique Pewter



112-118
Brushed Antique Brass

OL: 62 mm (2.45")
CC: 20 mm (0.80")
W: 26 mm (1.00")
P: 39 mm (1.55")



112-104
Antique Pewter



112-106
Brushed Antique Brass

OL: 165 mm (6.50")
CC: 64 mm (2.50")
W: 25 mm (1.00")
P: 24 mm (0.95")



112-108
Antique Pewter




112-100
Antique Pewter



112-110
Brushed Antique Brass

OL: 36 mm (1.40")
W: 36 mm (1.40")
P: 24 mm (0.95")



112-102
Brushed Antique Brass

OL: 94 mm (3.70")
CC: 32 mm (1.25")
W: 62 mm (2.45")
P: 24 mm (0.95")



Antique Pewter



63-116

OL: 64 mm (2.50")
 CC: 32 mm (1.25")
 W: 41 mm (1.60")
 P: 32 mm (1.25")



63-114

OL: 189 mm (7.45")
 CC: 32 mm (1.25")
 W: 72 mm (2.85")
 P: 82 mm (3.25")



63-108

OL: 111 mm (4.35")
 CC: 64 mm (2.50")
 W: 24 mm (0.95")
 P: 31 mm (1.20")



63-106

Ø: 30 mm (1.20")
 P: 29 mm (1.15")



63-104

Ø: 40 mm (1.55")
 P: 33 mm (1.30")



63-136

Ø: 34 mm (1.35")
 P: 32 mm (1.25")



63-100

OL: 125 mm (4.90")
 CC: 96 mm (3.75")
 W: 20 mm (0.80")
 P: 30 mm (1.20")



63-130

OL: 126 mm (4.95")
 CC: 96 mm (3.75")
 W: 21 mm (0.85")
 P: 32 mm (1.25")

Impala

Zinc Alloy



100-100
Antique Brass

OL: 376 mm (14.80")
CC: 288 mm (11.35")
W: 33 mm (1.30")
P: 56 mm (2.20")



100-102
Antique Iron



100-104
Antique Brass

OL: 335 mm (13.20")
CC: 272 mm (10.70")
W: 27 mm (1.05")
P: 50 mm (1.95")



100-106
Antique Iron

Impala



100-142
Ivory

Ø: 45 mm (1.80")
P: 39 mm (1.55")



100-140
Ivory

OL: 44 mm (1.75")
W: 49 mm (1.95")
P: 38 mm (1.50")



OL: 290 mm (11.40")
CC: 128 mm (5.00")
Ø: 38 mm (1.50")
P: 58 mm (2.30")


100-150
Ivory



100-148
Ivory



100-184
Antique Brass



100-180
Antique Brass



100-186
Antique Iron



100-182
Antique Iron

OL: 160 mm (6.30")
CC: 96 mm (3.75")
Ø: 25 mm (1.00")
P: 42 mm (1.65")



100-136
Antique Brass



100-138
Antique Iron

OL: 36 mm (1.40")
W: 35 mm (1.35")
P: 30 mm (1.20")



100-128
Antique Brass



100-130
Antique Iron

OL: 74 mm (2.90")
W: 44 mm (1.75")
P: 51 mm (2.00")



100-124
Antique Brass

OL: 100 mm (3.95")
CC: 64 mm (2.50")
W: 39 mm (1.55")
P: 56 mm (2.20")



100-126
Antique Iron



100-132
Antique Brass

OL: 49 mm (1.95")
W: 48 mm (1.90")
P: 31 mm (1.20")



100-134
Antique Iron



100-108
Antique Brass

Rail - Zinc Alloy

OL: 368 mm (14.50")
CC: 128 mm (5.00")
Ø: 20 mm (0.80")
P: 58 mm (2.30")



100-172
Antique Brass

OL: 134 mm (5.30")
CC: 64 mm (2.55")
W: 49 mm (1.95")
P: 42 mm (1.65")




100-174
Antique Iron



100-158
Antique Iron



100-160
Antique Brass



100-162
Antique Iron

OL: 60 mm (2.35")
W: 90 mm (3.55")
P: 43 mm (1.70")



100-156
Antique Brass

Ø: 48 mm (1.90")
P: 43 mm (1.70")



100-168
Antique Brass



100-170
Antique Iron

OL: 62 mm (2.45")
W: 59 mm (2.30")
P: 73 mm (2.90")



Hook Rail - Zinc Alloy

OL: 368 mm (14.50")
CC: 128 mm (5.00")
Ø: 20 mm (0.80")
P: 58 mm (2.30")

100-188 Bright Chrome
100-190 Antique Brass

Zinc Alloy



Design A

Fine Brushed Nickel

W: 16 mm (0.65")
P: 23 mm (0.90")



Design B

Fine Brushed Nickel

W: 20 mm (0.80")
P: 30 mm (1.20")



Design C

Fine Brushed Nickel

W: 17 mm (0.65")
P: 20 mm (0.80")



Design D

Fine Brushed Nickel

W: 20 mm (0.80")
P: 28 mm (1.10")



Design A (stocked in 2 different lengths)

97-118	OL: 136 mm (5.35")	CC: 128 mm (5.00")	Bright Chrome
97-120	OL: 136 mm (5.35")	CC: 128 mm (5.00")	Matte Aluminum
97-122	OL: 136 mm (5.35")	CC: 128 mm (5.00")	Fine Brushed Nickel
97-124	OL: 232 mm (9.15")	CC: 224 mm (8.80")	Bright Chrome
97-126	OL: 232 mm (9.15")	CC: 224 mm (8.80")	Matte Aluminum
97-128	OL: 232 mm (9.15")	CC: 224 mm (8.80")	Fine Brushed Nickel

Design B

97-130	OL: 152 mm (6.00")	CC: 128 mm (5.00")	Bright Chrome
		CC: 96 mm (3.75")	
97-132	OL: 152 mm (6.00")	CC: 128 mm (5.00")	Matte Aluminum
		CC: 96 mm (3.75")	
97-134	OL: 152 mm (6.00")	CC: 128 mm (5.00")	Fine Brushed Nickel
		CC: 96 mm (3.75")	

Design C

97-162	OL: 216 mm (8.45")	CC: 160 mm (6.30")	Bright Chrome
97-164	OL: 216 mm (8.45")	CC: 160 mm (6.30")	Matte Aluminum
97-166	OL: 216 mm (8.45")	CC: 160 mm (6.30")	Fine Brushed Nickel

Design D

97-172	OL: 148 mm (5.80")	CC: 128 mm (5.00")	Bright Chrome
97-174	OL: 148 mm (5.80")	CC: 128 mm (5.00")	Matte Aluminum
97-176	OL: 148 mm (5.80")	CC: 128 mm (5.00")	Fine Brushed Nickel

Italian Line



Design E

Bright Chrome

W: 20 mm (0.80")
P: 35 mm (1.10")



Design F

Fine Brushed Nickel

W: 9 mm (0.35")
P: 28 mm (1.10")



Design G

Bright Chrome

W: 8 mm (0.30")
P: 33 mm (1.30")



Design H

Fine Brushed Nickel

W: 10 mm (0.30")
P: 30 mm (1.20")



Design I

Bright Chrome

W: 12 mm (0.50")
P: 31 mm (1.20")

Design E (stocked in 2 different lengths)

97-184	OL: 147 mm (5.80")	CC: 128 mm (5.00")	Bright Chrome
97-188	OL: 147 mm (5.80")	CC: 128 mm (5.00")	Fine Brushed Nickel
97-190	OL: 215 mm (8.45")	CC: 192 mm (7.55")	Bright Chrome
97-194	OL: 215 mm (8.45")	CC: 192 mm (7.55")	Fine Brushed Nickel

Design F (stocked in 2 different lengths)

97-292	OL: 202 mm (7.95")	CC: 160 mm (6.30")	Bright Chrome
97-294	OL: 202 mm (7.95")	CC: 160 mm (6.30")	Fine Brushed Nickel
97-296	OL: 266 mm (10.50")	CC: 224 mm (8.80")	Bright Chrome
97-298	OL: 266 mm (10.50")	CC: 224 mm (8.80")	Fine Brushed Nickel

Design G (stocked in 3 different lengths)

97-300	OL: 118 mm (4.65")	CC: 96 mm (3.75")	Bright Chrome
97-302	OL: 118 mm (4.65")	CC: 96 mm (3.75")	Fine Brushed Nickel
97-304	OL: 182 mm (7.15")	CC: 160 mm (6.30")	Bright Chrome
97-306	OL: 182 mm (7.15")	CC: 160 mm (6.30")	Fine Brushed Nickel
97-308	OL: 342 mm (13.45")	CC: 320 mm (12.60")	Bright Chrome
97-310	OL: 342 mm (13.45")	CC: 320 mm (12.60")	Fine Brushed Nickel

Design H (stocked in 2 different lengths)

97-312	OL: 214 mm (8.45")	CC: 128 mm (5.00")	Bright Chrome
97-314	OL: 214 mm (8.45")	CC: 128 mm (5.00")	Fine Brushed Nickel
97-316	OL: 374 mm (14.75")	CC: 288 mm (11.35")	Bright Chrome
97-318	OL: 374 mm (14.75")	CC: 288 mm (11.35")	Fine Brushed Nickel

Design I (stocked in 2 different lengths)

97-320	OL: 173 mm (6.80")	CC: 160 mm (6.30")	Bright Chrome
97-322	OL: 173 mm (6.80")	CC: 160 mm (6.30")	Fine Brushed Nickel
97-324	OL: 333 mm (13.10")	CC: 320 mm (12.60")	Bright Chrome
97-326	OL: 333 mm (13.10")	CC: 320 mm (12.60")	Fine Brushed Nickel



Design J

Fine Brushed Nickel

W: 9 mm (0.35")
P: 28 mm (1.10")



Design K

Bright Chrome

W: 25 mm (1.00")
P: 32 mm (1.25")



Design L

Fine Brushed Nickel

W: 23 mm (0.90")
P: 25 mm (1.00")



Design M

Fine Brushed Nickel

W: 19 mm (0.75")
P: 29 mm (1.15")



Design N

Bright Chrome

W: 24 mm (0.95")
P: 28 mm (1.10")



Design J (stocked in 2 different lengths)

97-328	OL: 150 mm (5.90")	CC: 128 mm (5.00")	Bright Chrome
97-330	OL: 150 mm (5.90")	CC: 128 mm (5.00")	Fine Brushed Nickel
97-332	OL: 270 mm (10.65")	CC: 256 mm (10.00")	Bright Chrome
97-334	OL: 270 mm (10.65")	CC: 256 mm (10.00")	Fine Brushed Nickel

Design K (stocked in 2 different lengths)

97-336	OL: 205 mm (8.05")	CC: 160 mm (6.30")	Bright Chrome
97-338	OL: 205 mm (8.05")	CC: 160 mm (6.30")	Fine Brushed Nickel
97-340	OL: 359 mm (14.15")	CC: 320 mm (12.60")	Bright Chrome
97-342	OL: 359 mm (14.15")	CC: 320 mm (12.60")	Fine Brushed Nickel

Design L

97-344	OL: 184 mm (7.25")	CC: 128 mm (5.00")	Bright Chrome
97-346	OL: 184 mm (7.25")	CC: 128 mm (5.00")	Fine Brushed Nickel

Design M

97-220	OL: 160 mm (6.30")	CC: 128 mm (5.00")	Bright Chrome
97-222	OL: 160 mm (6.30")	CC: 128 mm (5.00")	Matte Aluminum
97-224	OL: 160 mm (6.30")	CC: 128 mm (5.00")	Fine Brushed Nickel

Design N

97-250	OL: 193 mm (7.60")	CC: 160 mm (6.30")	Bright Chrome
97-252	OL: 193 mm (7.60")	CC: 160 mm (6.30")	Matte Aluminum
97-254	OL: 193 mm (7.60")	CC: 160 mm (6.30")	Fine Brushed Nickel



Design O

Bright Chrome

W: 12 mm (0.45")
P: 30 mm (1.20")



Design P

Fine Brushed Nickel

W: 14 mm (0.55")
P: 20 mm (0.80")



Design Q

Bright Chrome

W: 8 mm (0.30")
P: 25 mm (1.00")



Design R

Fine Brushed Nickel

W: 9 mm (0.35")
P: 25 mm (1.00")

Design O

97-280	OL: 185 mm (7.30")	CC: 128 mm (5.00") or CC: 160 mm (6.30")	Bright Chrome
97-282	OL: 185 mm (7.30")	CC: 128 mm (5.00") or CC: 160 mm (6.30")	Matte Aluminum
97-284	OL: 185 mm (7.30")	CC: 128 mm (5.00") or CC: 160 mm (6.30")	Fine Brushed Nickel

Design P

97-348	OL: 116 mm (4.55")	CC: 96 mm (3.75")	Bright Chrome
97-350	OL: 116 mm (4.55")	CC: 96 mm (3.75")	Fine Brushed Nickel

Design Q

97-352	OL: 310 mm (12.20")	CC: 128 mm (5.00") or CC: 256 mm (10.00")	Bright Chrome
97-354	OL: 310 mm (12.20")	CC: 128 mm (5.00") or CC: 256 mm (10.00")	Fine Brushed Nickel

Design R

97-356	OL: 260 mm (10.25")	CC: 128 mm (5.00") or CC: 224 mm (8.80")	Bright Chrome
97-358	OL: 260 mm (10.25")	CC: 128 mm (5.00") or CC: 224 mm (8.80")	Fine Brushed Nickel

Zinc Alloy

Left Handles



53-101
Matte Black

OL: 107 mm (4.20")
CC: 96 mm (3.75")
W: 54 mm (2.15")
P: 27 mm (1.05")

- 53-105 Bright Brass
- 53-107 Bright Chrome
- 53-109 Matte Nickel
- 53-111 Matte Chrome
- 53-113 Fine Brushed Nickel
- 53-115 Antique Brass



53-110
Matte Chrome



53-112
Fine Brushed Nickel



53-114
Antique Brass



53-106
Bright Chrome



53-108
Matte Nickel

Right Handles



53-100
Matte Black



53-104
Bright Brass

OL: 107 mm (4.20")
CC: 96 mm (3.75")
W: 54 mm (2.15")
P: 27 mm (1.05")

Juliana

Zinc Alloy




54-100
Matte Black



54-106
Bright Chrome



54-108
Matte Nickel



54-110
Matte Chrome



54-112
Fine Brushed Nickel



54-114
Antique Brass


OL: 141 mm (5.55")
CC: 128 mm (5.00")
W: 25 mm (1.00")
P: 25 mm (1.00")



54-120
Matte Black



54-130
Matte Chrome



54-132
Fine Brushed Nickel



54-126
Bright Chrome




54-134
Antique Brass



54-128
Matte Nickel

OL: 45 mm (1.75")
W: 25 mm (1.00")
P: 28 mm (1.10")



OL: 39 mm (1.55")
W: 39 mm (1.55")
P: 16 mm (0.65")

- 122-116 Bright Chrome / Black
- 122-118 Bright Chrome / White
- 122-120 Fine Brushed Nickel / Black
- 122-122 Fine Brushed Nickel / White



- 122-108 Bright Chrome / Black
- 122-110 Bright Chrome / White
- 122-112 Fine Brushed Nickel / Black
- 122-114 Fine Brushed Nickel / White

OL: 228 mm (9.00")
CC: 192 mm (7.55")
W: 30 mm (1.20")
P: 23 mm (0.90")

Zinc Alloy / ABS Plastic



OL: 159 mm (6.25")
CC: 128 mm (5.00")
W: 28 mm (1.10")
P: 22 mm (0.85")

- 122-100 Bright Chrome / Black
- 122-102 Bright Chrome / White
- 122-104 Fine Brushed Nickel / Black
- 122-106 Fine Brushed Nickel / White

Lancaster

Zinc Alloy



40-128
Antique Brass




40-148
Antique Brass



40-170
Antique Brass



40-130
Antique Iron



40-150
Antique Iron



40-172
Antique Iron



40-132
Oil Rubbed Bronze



40-152
Oil Rubbed Bronze



40-174
Oil Rubbed Bronze

OL: 130 mm (5.10")
CC: 96 mm (3.75")
W: 30 mm (1.20")
P: 27 mm (1.05")

OL: 80 mm (3.15")
CC: 64 mm (2.50")
W: 30 mm (1.20")
P: 26 mm (1.00")


Ø: 33 mm (1.30")
P: 32 mm (1.25")

Zinc Alloy / ABS Plastic



57-160
Matte Chrome /
Black Soft Touch

OL: 163 mm (6.40")
CC: 16 mm (0.65")
W: 20 mm (0.80")
P: 100 mm (3.95")



57-110
Matte Chrome /
Black Soft Touch

OL: 169 mm (6.65")
CC: 160 mm (6.30")
W: 17 mm (0.70")
P: 30 mm (1.20")



57-150
Matte Chrome /
Black Soft Touch

Ø: 34 mm (1.35")
P: 24 mm (0.95")



57-140
Matte Chrome /
Black Soft Touch

OL: 175 mm (6.90")
CC: 160 mm (6.30")
W: 15 mm (0.60")
P: 32 mm (1.25")



57-130
Matte Chrome /
Black Soft Touch

OL: 175 mm (6.90")
CC: 160 mm (6.30")
W: 19 mm (0.75")
P: 27 mm (1.05")

Mandalay

Zinc Alloy



119-100 Antique Brass
119-102 Antique Pewter

OL: 149 mm (5.85")
CC: 96 mm (3.75")
W: 22 mm (0.85")
P: 28 mm (1.10")



119-104 Antique Brass
119-106 Antique Pewter

OL: 37 mm (1.46")
W: 22 mm (0.85")
P: 23 mm (0.90")



119-112 Antique Brass
119-114 Antique Pewter

OL: 57 mm (2.25")
CC: 32 mm (1.25")
W: 60 mm (2.35")
P: 28 mm (1.10")




119-108 Antique Brass
119-110 Antique Pewter


OL: 148 mm (5.85")
CC: 32 mm (1.25")
W: 60 mm (2.35")
P: 66 mm (2.60")

Staccaro

Zinc Alloy



113-106
Bright Chrome



113-118
Bright Chrome




113-110
Matte Pearl Nickel

OL: 93 mm (3.65")
CC: 64 mm (2.50")
W: 24 mm (0.95")
P: 21 mm (0.85")



113-108
Antique Brass



113-120
Antique Brass



113-122
Matte Pearl Nickel

OL: 24 mm (0.95")
W: 24 mm (0.95")
P: 21 mm (0.85")

Zinc Alloy



89-130
Antique Brass



89-102
Antique Brass



89-110
Antique Brass



89-128
Antique Pewter



89-104
Antique Pewter



89-112
Antique Pewter

OL: 107 mm (4.20")
CC: 96 mm (3.75")
W: 13 mm (0.50")
P: 34 mm (1.35")

OL: 18 mm (0.70")
W: 18 mm (0.70")
P: 27 mm (1.05")

OL: 121 mm (4.75")
CC: 96 mm (3.75")
W: 15 mm (0.60")
P: 32 mm (1.25")

Milan



84-112
Bright Chrome



84-114
Matte Nickel



84-116
Bright Brass



84-118
Fine Brushed Nickel



84-120
Matte Aluminum

Ø: 24 mm (0.95")
P: 24 mm (0.95")



84-122
Bright Chrome



84-124
Matte Nickel



84-142
Bright Chrome



84-150
Matte Aluminum



84-152
Bright Chrome



84-160
Matte Aluminum



84-126
Bright Brass



84-128
Fine Brushed Nickel



84-146
Bright Brass



84-144
Matte Nickel



84-156
Bright Brass



84-154
Matte Nickel



84-130
Matte Aluminum

OL: 20 mm (0.80")
W: 20 mm (0.80")
P: 28 mm (1.10")

OL: 16 mm (0.65")
W: 16 mm (0.65")
P: 20 mm (0.80")



84-148
Fine Brushed Nickel

OL: 16 mm (0.65")
W: 16 mm (0.65")
P: 26 mm (1.00")



84-158
Fine Brushed Nickel



84-172
Bright Chrome



84-176
Bright Brass

OL: 30 mm (1.20")
CC: 16 mm (0.65")
W: 30 mm (1.20")
P: 25 mm (1.00")



84-162
Bright Chrome



84-166
Bright Brass



84-170
Matte Aluminum



84-180
Matte Aluminum



84-174
Matte Nickel



84-178
Fine Brushed Nickel



84-164
Matte Nickel




84-168
Fine Brushed Nickel

OL: 32 mm (1.25")
CC: 16 mm (0.65")
W: 14 mm (0.55")
P: 16 mm (0.65")



84-182
Bright Chrome



84-186
Matte Aluminum



84-184
Matte Nickel

OL: 52 mm (2.05")
W: 19 mm (0.75")
P: 16 mm (0.65")



84-100
Bright Chrome



84-102
Matte Aluminum



84-188
Bright Chrome



84-194
Fine Brushed Nickel

OL: 42 mm (1.65")
CC: 32 mm (1.25")
W: 10 mm (0.40")
P: 27 mm (1.05")



84-104
Bright Chrome



84-106
Matte Aluminum



84-192
Fine Brushed Nickel



84-196
Bright Chrome



84-108
Bright Chrome



84-110
Matte Aluminum

OL: 30 mm (1.20")
CC: 16 mm (0.65")
W: 30 mm (1.20")
P: 25 mm (1.00")



84-190
Matte Aluminum

OL: 35 mm (1.40")
W: 35 mm (1.40")
P: 29 mm (1.15")

Mosaic




90-100
Bright Chrome




90-102
Matte Nickel



90-104
Matte Chrome



90-106
Antique Brass




OL: 164 mm (6.45")
CC: 128 mm (5.00")
W: 25 mm (1.00")
P: 25 mm (1.00")


90-108
Antique Pewter



90-110
Antique Bronze



90-112
Antique French Bronze



90-114
Oil Rubbed Bronze



Appliance Pull



90-100-AP
Bright Chrome

OL: 358 mm (14.10")
CC: 320 mm (12.60")
W: 25 mm (1.00")
P: 25 mm (1.00")

- 90-100-AP Bright Chrome
- 90-102-AP Matte Nickel
- 90-104-AP Matte Chrome
- 90-106-AP Antique Brass
- 90-108-AP Antique Pewter
- 90-110-AP Antique Bronze
- 90-112-AP Antique French Bronze
- 90-114-AP Oil Rubbed Bronze



90-126
Antique Brass

OL: 50 mm (1.95")
CC: 32 mm (1.25")
W: 50 mm (1.95")
P: 25 mm (1.00")

- 90-120 Bright Chrome
- 90-122 Matte Nickel
- 90-124 Matte Chrome
- 90-126 Antique Brass
- 90-128 Antique Pewter
- 90-130 Antique Bronze
- 90-132 Antique French Bronze
- 90-134 Oil Rubbed Bronze



90-148
Antique Pewter

OL: 50 mm (1.95")
CC: 32 mm (1.25")
W: 25 mm (1.00")
P: 25 mm (1.00")

- 90-140 Bright Chrome
- 90-142 Matte Nickel
- 90-144 Matte Chrome
- 90-146 Antique Brass
- 90-148 Antique Pewter
- 90-150 Antique Bronze
- 90-152 Antique French Bronze
- 90-154 Oil Rubbed Bronze



90-172
Antique French Bronze

Ø: 50 mm (1.95")
CC: 32 mm (1.25")
P: 25 mm (1.00")



90-194
Oil Rubbed Bronze

OL: 50 mm (1.95")
CC: 32 mm (1.25")
W: 25 mm (1.00")
P: 25 mm (1.00")

- 90-160 Bright Chrome
- 90-162 Matte Nickel
- 90-164 Matte Chrome
- 90-166 Antique Brass
- 90-168 Antique Pewter
- 90-170 Antique Bronze
- 90-172 Antique French Bronze
- 90-174 Oil Rubbed Bronze

- 90-180 Bright Chrome
- 90-182 Matte Nickel
- 90-184 Matte Chrome
- 90-186 Antique Brass
- 90-188 Antique Pewter
- 90-190 Antique Bronze
- 90-192 Antique French Bronze
- 90-194 Oil Rubbed Bronze



90-230
Antique Bronze

Ø: 30 mm (1.20")
P: 25 mm (1.00")

- 90-220 Bright Chrome
- 90-222 Matte Nickel
- 90-224 Matte Chrome
- 90-226 Antique Brass
- 90-228 Antique Pewter
- 90-230 Antique Bronze
- 90-232 Antique French Bronze
- 90-234 Oil Rubbed Bronze



Create your own combinations.
Order Pulls/Stems separately.



35-171

35-170
Matte Nickel



35-165

35-164
Bright Chrome



35-163

35-162
Black



35-160
White

35-161
White

Ø: 12 mm (0.45")
P: 32 mm (1.10")

OL: 113 mm (4.45")
CC: adjustable
Ø: 8 mm (0.30")
P: 28 mm (1.10")



35-108
Bright Chrome



35-110
Black Nickel



35-112
Matte Nickel



35-116
Matte Black



35-117
Brushed Nickel

OL: 154 mm (6.05")
CC: 128 mm (5.00")
Ø: 10 mm (0.40")
P: 28 mm (1.10")

Zinc Alloy


OL: 39 mm (1.55")
 CC: 32 mm (1.25")
 W: 39 mm (1.55")
 P: 23 mm (0.90")



115-100
 Bright Chrome



115-102
 Matte Aluminum



115-104
 Fine Brushed Nickel



115-106
 Bright Chrome



115-108
 Matte Aluminum



115-110
 Fine Brushed Nickel

OL: 174 mm (6.85")
 CC: 128 mm (5.00")
 W: 20 mm (0.80")
 P: 22 mm (0.85")



115-112
 Bright Chrome



115-114
 Matte Aluminum



115-116
 Fine Brushed Nickel

OL: 157 mm (6.20")
 CC: 128 mm (5.00")
 W: 28 mm (1.10")
 P: 21 mm (0.85")

Nuevo Classico



Oil Rubbed Bronze

43-604

OL: 108 mm (4.25")
CC: 96 mm (3.75")
W: 12 mm (0.45")
P: 25 mm (1.00")



43-608

Ø: 34 mm (1.35")
P: 25 mm (1.00")



43-624

OL: 105 mm (4.15")
CC: 64 mm (2.50")
W: 48 mm (1.90")
P: 25 mm (1.00")



43-612

Ø: 41 mm (1.60")
P: 10 mm (0.40")



43-604

43-605
Accent Disc

Ø: 24 mm (0.95")
P: 4 mm (0.15")



43-605
Accent Disc

Ø: 24 mm (0.95")
P: 4 mm (0.15")



43-606

OL: 57 mm (2.25")
W: 16 mm (0.60")
P: 20 mm (0.80")



43-644

Ø: 35 mm (1.40")
P: 33 mm (1.30")



43-646

OL: 143 mm (5.65")
CC: 128 mm (5.00")
W: 13 mm (0.50")
P: 29 mm (1.15")



43-628
Backplate

OL: 135 mm (5.30")
CC: 96 mm (3.75")
W: 25 mm (1.00")
P: 3 mm (0.10")

43-614

OL: 113 mm (4.45")
CC: 96 mm (3.75")
W: 16 mm (0.60")
P: 34 mm (1.35")



43-626

OL: 150 mm (5.90")
CC: 96 mm (3.75")
W: 42 mm (1.65")
P: 25 mm (1.00")

Antique Silver



43-105
Accent Disc
Ø: 24 mm (0.95")
P: 4 mm (0.15")



43-124
Ø: 38 mm (1.50")
P: 27 mm (1.05")



43-105
Accent Disc
Ø: 24 mm (0.95")
P: 4 mm (0.15")

43-104
OL: 108 mm (4.25")
CC: 96 mm (3.75")
W: 12 mm (0.45")
P: 25 mm (1.00")

43-106

OL: 57 mm (2.25")
W: 16 mm (0.60")
P: 20 mm (0.80")



43-108
Ø: 34 mm (1.35")
P: 25 mm (1.00")



43-130
Ø: 38 mm (1.50")
P: 25 mm (1.00")



43-134
OL: 150 mm (5.90")
CC: 96 mm (3.75")
W: 42 mm (1.65")
P: 25 mm (1.00")



43-105
Accent Disc
Ø: 24 mm (0.95")
P: 4 mm (0.15")

43-114
OL: 113 mm (4.45")
CC: 96 mm (3.75")
W: 16 mm (0.60")
P: 34 mm (1.35")



43-112
Ø: 41 mm (1.60")
P: 10 mm (0.40")

Terra Rustica



43-264
OL: 150 mm (5.90")
CC: 96 mm (3.75")
W: 42 mm (1.65")
P: 25 mm (1.00")



43-230
OL: 150 mm (5.90")
CC: 96 mm (3.75")
W: 42 mm (1.65")
P: 25 mm (1.00")

Antique Black



43-246
Ø: 34 mm (1.35")
P: 25 mm (1.00")



43-250
Ø: 41 mm (1.60")
P: 10 mm (0.40")



43-226
Ø: 34 mm (1.35")
P: 25 mm (1.00")



43-238
Ø: 41 mm (1.60")
P: 10 mm (0.40")




43-252
OL: 113 mm (4.45")
CC: 96 mm (3.75")
W: 16 mm (0.60")
P: 34 mm (1.35")



43-218
OL: 113 mm (4.45")
CC: 96 mm (3.75")
W: 16 mm (0.60")
P: 34 mm (1.35")

Ocean Line

Zinc Alloy



64-100
Bright Chrome



64-104
Bright Brass

OL: 59 mm (2.30")
CC: 16 mm (0.65")
W: 29 mm (1.15")
P: 33 mm (1.30")



64-124
Bright Brass



64-126
Antique Pewter

OL: 42 mm (1.65")
CC: 16 mm (0.65")
W: 35 mm (1.40")
P: 23 mm (0.90")



64-180
Bright Chrome



64-240
Bright Chrome



64-186
Antique Pewter

Ø: 47 mm (1.85")
P: 33 mm (1.30")



64-244
Bright Brass



64-242
Matte Chrome

Ø: 67 mm (2.65")
P: 31 mm (1.20")

Rubber



107-100



107-102



107-104



107-114



107-116



107-118



107-120



107-122



107-124



107-126



107-100	Ø: 44 mm (1.75")	P: 23 mm (0.90")	
107-102	Ø: 44 mm (1.75")	P: 23 mm (0.90")	
107-104	Ø: 44 mm (1.75")	P: 23 mm (0.90")	
107-114	Ø: 50 mm (1.95")	P: 24 mm (0.95")	
107-116	OL: 50 mm (1.95")	W: 45 mm (1.80")	P: 23 mm (0.90")
107-118	OL: 51 mm (2.00")	W: 35 mm (1.40")	P: 24 mm (0.95")
107-120	OL: 53 mm (2.10")	W: 39 mm (1.55")	P: 24 mm (0.95")
107-122	OL: 44 mm (1.75")	W: 48 mm (1.90")	P: 24 mm (0.95")
107-124	OL: 47 mm (1.85")	W: 38 mm (1.50")	P: 23 mm (0.90")
107-126	Ø: 40 mm (1.60")	P: 28 mm (1.10")	

Provence



304 Grade -
Fine Brushed
Stainless Steel



65-402

OL: 104 mm (4.10")
CC: 96 mm (3.75")
P: 40 mm (1.55")



65-400

OL: 136 mm (5.35")
CC: 128 mm (5.00")
P: 40 mm (1.55")



65-432

OL: 62 mm (2.45")
Ø: 22 mm (0.85")
P: 32 mm (1.25")



65-430

OL: 74 mm (2.90")
Ø: 27 mm (1.05")
P: 35 mm (1.40")

Matte Black



65-220

OL: 51 mm (2.00")
Ø: 20 mm (0.80")
P: 29 mm (1.15")



65-100

OL: 136 mm (5.35")
CC: 128 mm (5.00")
P: 40 mm (1.55")



65-306

OL: 61 mm (2.40")
CC: 24 mm (0.95")
W: 70 mm (2.75")
P: 40 mm (1.55")



65-280

OL: 115 mm (4.55")
CC: 96 mm (3.75")
W: 43 mm (1.70")
P: 22 mm (0.90")



65-200

OL: 62 mm (2.45")
Ø: 22 mm (0.85")
P: 32 mm (1.25")



65-120

OL: 104 mm (4.10")
CC: 96 mm (3.75")
P: 40 mm (1.55")



65-260

OL: 147 mm (5.80")
CC: 128 mm (5.00")
W: 50 mm (2.20")
P: 27 mm (1.05")

Antique Brass



65-222

OL: 51 mm (2.00")
 Ø: 20 mm (0.80")
 P: 29 mm (1.15")



65-202

OL: 62 mm (2.45")
 Ø: 22 mm (0.85")
 P: 32 mm (1.25")



65-102

OL: 136 mm (5.35")
 CC: 128 mm (5.00")
 P: 40 mm (1.55")



65-122

OL: 104 mm (4.10")
 CC: 96 mm (3.75")
 P: 40 mm (1.55")



65-308

OL: 61 mm (2.40")
 CC: 24 mm (0.95")
 W: 70 mm (2.75")
 P: 40 mm (1.55")



65-282

OL: 115 mm (4.55")
 CC: 96 mm (3.75")
 W: 43 mm (1.70")
 P: 22 mm (0.90")



65-262

OL: 147 mm (5.80")
 CC: 128 mm (5.00")
 W: 50 mm (2.20")
 P: 27 mm (1.05")

Matte Black



65-224

OL: 51 mm (2.00")
 Ø: 20 mm (0.80")
 P: 29 mm (1.15")



65-204

OL: 62 mm (2.45")
 Ø: 22 mm (0.85")
 P: 32 mm (1.25")



65-104

OL: 136 mm (5.35")
 CC: 128 mm (5.00")
 P: 40 mm (1.55")



65-124

OL: 104 mm (4.10")
 CC: 96 mm (3.75")
 P: 40 mm (1.55")



65-310

OL: 61 mm (2.40")
 CC: 24 mm (0.95")
 W: 70 mm (2.75")
 P: 40 mm (1.55")



65-284

OL: 115 mm (4.55")
 CC: 96 mm (3.75")
 W: 43 mm (1.70")
 P: 22 mm (0.90")



65-264

OL: 147 mm (5.80")
 CC: 128 mm (5.00")
 W: 50 mm (2.20")
 P: 27 mm (1.05")

Quadra

Design A (stocked in 10 different lengths)

Bright Chrome

116-100	OL: 252 mm (9.90")	CC: 128 mm (5.00") or 224 mm (8.80")
116-102	OL: 284 mm (11.20")	CC: 160 mm (6.30") or 256 mm (10.10")
116-104	OL: 316 mm (12.45")	CC: 192 mm (7.55") or 288 mm (11.35")
116-106	OL: 348 mm (13.70")	CC: 224 mm (8.80") or 320 mm (12.60")
116-108	OL: 412 mm (16.20")	CC: 288 mm (11.35") or 384 mm (15.10")
116-110	OL: 444 mm (17.50")	CC: 320 mm (12.60") or 416 mm (16.40")
116-112	OL: 476 mm (18.75")	CC: 352 mm (13.85") or 448 mm (17.65")
116-114	OL: 508 mm (20.00")	CC: 384 mm (15.10") or 480 mm (18.90")
116-116	OL: 604 mm (23.80")	CC: 480 mm (18.90") or 576 mm (22.70")
116-118	OL: 764 mm (30.05")	CC: 640 mm (25.20") or 736 mm (29.00")

Fine Brushed Nickel

116-120	OL: 252 mm (9.90")	CC: 128 mm (5.00") or 224 mm (8.80")
116-122	OL: 284 mm (11.20")	CC: 160 mm (6.30") or 256 mm (10.10")
116-124	OL: 316 mm (12.45")	CC: 192 mm (7.55") or 288 mm (11.35")
116-126	OL: 348 mm (13.70")	CC: 224 mm (8.80") or 320 mm (12.60")
116-128	OL: 412 mm (16.20")	CC: 288 mm (11.35") or 384 mm (15.10")
116-130	OL: 444 mm (17.50")	CC: 320 mm (12.60") or 416 mm (16.40")
116-132	OL: 476 mm (18.75")	CC: 352 mm (13.85") or 448 mm (17.65")
116-134	OL: 508 mm (20.00")	CC: 384 mm (15.10") or 480 mm (18.90")
116-136	OL: 604 mm (23.80")	CC: 480 mm (18.90") or 576 mm (22.70")
116-138	OL: 764 mm (30.05")	CC: 640 mm (25.20") or 736 mm (29.00")



Design B (stocked in 6 different lengths)

Bright Chrome

116-160	OL: 104 mm (4.10")	CC: 96 mm (3.75")
116-162	OL: 136 mm (5.35")	CC: 128 mm (5.00")
116-164	OL: 168 mm (6.60")	CC: 160 mm (6.30")
116-166	OL: 200 mm (7.85")	CC: 192 mm (7.55")
116-168	OL: 232 mm (9.15")	CC: 224 mm (8.80")
116-170	OL: 328 mm (12.90")	CC: 320 mm (12.60")

Fine Brushed Nickel

116-172	OL: 104 mm (4.10")	CC: 96 mm (3.75")
116-174	OL: 136 mm (5.35")	CC: 128 mm (5.00")
116-176	OL: 168 mm (6.60")	CC: 160 mm (6.30")
116-178	OL: 200 mm (7.85")	CC: 192 mm (7.55")
116-180	OL: 232 mm (9.15")	CC: 224 mm (8.80")
116-182	OL: 328 mm (12.90")	CC: 320 mm (12.60")

116-100
Bright Chrome

W: 10 mm (0.40")
P: 29 mm (1.15")

116-160
Bright Chrome

W: 8 mm (0.30")
P: 28 mm (1.10")

Design A
Aluminum

Design B
Zinc Alloy



Design C (stocked in 3 different lengths)

Bright Chrome

116-200	OL: 140 mm (5.50")	CC: 128 mm (5.00")
116-202	OL: 172 mm (6.75")	CC: 160 mm (6.30")
116-204	OL: 204 mm (8.05")	CC: 192 mm (7.55")


Fine Brushed Nickel

116-220	OL: 140 mm (5.50")	CC: 128 mm (5.00")
116-222	OL: 172 mm (6.75")	CC: 160 mm (6.30")
116-224	OL: 204 mm (8.05")	CC: 192 mm (7.55")

116-222
Fine Brushed Nickel

W: 9 mm (0.35")
P: 30 mm (1.20")

Design C
Zinc Alloy



Design D (stocked in 6 different lengths)

Bright Chrome

116-280	OL: 186 mm (7.30")	CC: 128 mm (5.00")
116-282	OL: 218 mm (8.60")	CC: 160 mm (6.30")
116-284	OL: 250 mm (9.85")	CC: 192 mm (7.55")
116-286	OL: 378 mm (14.90")	CC: 320 mm (12.60")
116-288	OL: 538 mm (21.20")	CC: 480 mm (18.90")
116-290	OL: 698 mm (27.50")	CC: 640 mm (25.20")

Fine Brushed Nickel

116-292	OL: 186 mm (7.30")	CC: 128 mm (5.00")
116-294	OL: 218 mm (8.60")	CC: 160 mm (6.30")
116-296	OL: 250 mm (9.85")	CC: 192 mm (7.55")
116-298	OL: 378 mm (14.90")	CC: 320 mm (12.60")
116-300	OL: 538 mm (21.20")	CC: 480 mm (18.90")
116-302	OL: 698 mm (27.50")	CC: 640 mm (25.20")

116-280
Bright Chrome

W: 10 mm (0.40")
P: 29 mm (1.15")

Design D
Aluminum



Quadra

Zinc Alloy / Aluminum

Design E (stocked in 6 different lengths)

Bright Chrome

116-320	OL: 252 mm (9.90")	CC: 128 mm (5.00") or 224 mm (8.80")
116-322	OL: 284 mm (11.20")	CC: 160 mm (6.30") or 256 mm (10.10")
116-324	OL: 316 mm (12.45")	CC: 192 mm (7.55") or 288 mm (11.35")
116-326	OL: 348 mm (13.70")	CC: 224 mm (8.80") or 320 mm (12.60")
116-328	OL: 604 mm (23.80")	CC: 480 mm (18.90") or 576 mm (22.70")
116-330	OL: 764 mm (30.05")	CC: 640 mm (25.20") or 736 mm (29.00")

Fine Brushed Nickel

116-332	OL: 252 mm (9.90")	CC: 128 mm (5.00") or 224 mm (8.80")
116-334	OL: 284 mm (11.20")	CC: 160 mm (6.30") or 256 mm (10.10")
116-336	OL: 316 mm (12.45")	CC: 192 mm (7.55") or 288 mm (11.35")
116-338	OL: 348 mm (13.70")	CC: 224 mm (8.80") or 320 mm (12.60")
116-340	OL: 604 mm (23.80")	CC: 480 mm (18.90") or 576 mm (22.70")
116-342	OL: 764 mm (30.05")	CC: 640 mm (25.20") or 736 mm (29.00")

Design F (stocked in 3 different lengths)

Bright Chrome

116-360	OL: 104 mm (4.10")	CC: 96 mm (3.75")
116-362	OL: 168 mm (6.60")	CC: 160 mm (6.30")
116-364	OL: 328 mm (12.90")	CC: 320 mm (12.60")

Fine Brushed Nickel

116-366	OL: 104 mm (4.10")	CC: 96 mm (3.75")
116-368	OL: 168 mm (6.60")	CC: 160 mm (6.30")
116-370	OL: 328 mm (12.90")	CC: 320 mm (12.60")



Design E
Aluminum

116-320
Bright Chrome
W: 11 mm (0.45")
P: 32 mm (1.25")



Design F
Zinc Alloy

116-368
Fine Brushed Nickel

W: 10 mm (1.40")
P: 36 mm (1.45")

Zinc Alloy



51-100
Matte Black



51-110
Matte Chrome



51-106
Bright Chrome



51-112
Fine Brushed Nickel



51-108
Matte Nickel



51-500
Black "Soft Touch"



OL: 126 mm (4.95")
CC: 96 mm (3.75")
Ø: 8 mm (0.30")
P: 29 mm (1.15")

Pulls can be ordered with or without stem. Order parts separately.

Reno

Zinc Alloy



52-122
Bright Chrome



52-124
Matte Nickel



52-126
Matte Chrome



52-128
Antique Brass

OL: 37 mm (1.45")
W: 26 mm (1.00")
P: 26 mm (1.00")



52-130
Fine Brushed Nickel



OL: 156 mm (6.15")
CC: 128 mm (5.00")
W: 11 mm (0.40")
P: 25 mm (1.00")

52-110
Fine Brushed Nickel

52-108
Antique Brass

52-106
Matte Chrome

52-104
Matte Nickel

52-102
Bright Chrome

Zinc Alloy



71-100
Bright Chrome / Blue



71-104
Matte Chrome / Black



71-108
Matte Zinc / Green



71-112
Antique Iron / Black



71-116
Matte Nickel

OL: 134 mm (5.30")
CC: 96 mm (3.75")
W: 21 mm (0.85")
P: 29 mm (1.15")



71-114
Antique Iron / Black



71-102
Bright Chrome / Blue

OL: 35 mm (1.40")
W: 35 mm (1.40")
P: 27 mm (1.05")



71-110
Matte Zinc / Green



71-118
Matte Nickel



71-106
Matte Chrome / Black



Zinc Alloy / ABS Plastic

Bright Chrome / White



105-102

OL: 32 mm (1.25")
W: 22 mm (0.85")
P: 24 mm (0.95")



105-100

Ø: 30 mm (1.20")
P: 26 mm (1.05")



105-110

OL: 159 mm (6.29")
CC: 24 mm (0.95")
W: 34 mm (1.35")
P: 64 mm (2.50")



105-108

OL: 77 mm (3.05")
CC: 24 mm (0.95")
W: 34 mm (1.35")
P: 29 mm (1.15")

Savannah

Zinc Alloy



87-100
Matte Nickel



87-102
Fine Brushed Nickel




87-106
Antique Iron



87-108
Antique Brass


OL: 25 mm (1.00")
W: 25 mm (1.00")
P: 18 mm (0.70")



87-110
Matte Nickel



87-116
Antique Iron



87-112
Fine Brushed Nickel



87-118
Antique Brass

OL: 120 mm (4.70")
CC: 96 mm (3.75")
W: 15 mm (0.60")
P: 23 mm (0.90")

Stainless Steel



44-362

OL: 40 mm (1.55")
CC: 16 mm (0.65")
W: 40 mm (1.55")
P: 40 mm (1.55")



44-363

OL: 40 mm (1.55")
CC: 16 mm (0.65")
W: 20 mm (0.80")
P: 40 mm (1.55")

44-344

W: 40 mm (1.60")
P: 40 mm (1.60")



stocked in 5 different lengths

44-344	OL: 170 mm (6.70")	CC: 160 mm (6.30")
44-346	OL: 202 mm (7.95")	CC: 192 mm (7.55")
44-348	OL: 234 mm (9.20")	CC: 224 mm (8.80")
44-350	OL: 330 mm (13.00")	CC: 320 mm (12.60")
44-352	OL: 490 mm (19.30")	CC: 480 mm (18.90")



44-354

W: 15 mm (0.60")
P: 40 mm (1.60")

stocked in 4 different lengths

44-354	OL: 143 mm (5.65")	CC: 128 mm (5.00")
44-356	OL: 175 mm (6.90")	CC: 160 mm (6.30")
44-358	OL: 207 mm (8.15")	CC: 192 mm (7.55")
44-360	OL: 335 mm (13.20")	CC: 320 mm (12.60")



44-244

Ø: 12 mm (0.50")
P: 32 mm (1.25")

stocked in 19 different lengths

44-241 *	OL: 150 mm (5.90")	CC: 2.75"
44-242	OL: 176 mm (6.95")	CC: 96 mm (3.75")
44-243 *	OL: 156 mm (6.15")	CC: 3"
44-244	OL: 208 mm (8.20")	CC: 128 mm (5.00")
44-245 *	OL: 168 mm (6.60")	CC: 3.5"
44-246	OL: 240 mm (9.45")	CC: 160 mm (6.30")
44-247 *	OL: 182 mm (7.15")	CC: 4"
44-248	OL: 272 mm (10.70")	CC: 192 mm (7.55")
44-250	OL: 304 mm (11.95")	CC: 224 mm (8.80")
44-252	OL: 368 mm (14.50")	CC: 288 mm (11.35")
44-254	OL: 400 mm (15.75")	CC: 320 mm (12.60")
44-256	OL: 432 mm (17.00")	CC: 352 mm (13.85")
44-258	OL: 464 mm (18.25")	CC: 384 mm (15.10")
44-260	OL: 560 mm (22.05")	CC: 480 mm (18.90")
44-262	OL: 720 mm (28.35")	CC: 640 mm (25.20")
44-264	OL: 752 mm (29.60")	CC: 672 mm (26.45")
44-266	OL: 816 mm (32.15")	CC: 2 x 368 mm (2 x 14.50")
44-268	OL: 976 mm (38.45")	CC: 2 x 448 mm (2 x 17.65")
44-270	OL: 1040 mm (40.95")	CC: 2 x 480 mm (2 x 18.90")

* AMERICAN REMODELING SIZES



44-226

Ø: 10 mm (0.40")
P: 31 mm (1.20")

stocked in 14 different lengths

44-221 *	OL: 120 mm (4.70")	CC: 2.75"
44-222	OL: 148 mm (5.85")	CC: 96 mm (3.75")
44-223 *	OL: 128 mm (5.00")	CC: 3"
44-224	OL: 184 mm (7.25")	CC: 128 mm (5.00")
44-225 *	OL: 140 mm (5.50")	CC: 3.5"
44-226	OL: 216 mm (8.50")	CC: 160 mm (6.30")
44-227 *	OL: 154 mm (6.05")	CC: 4"
44-228	OL: 248 mm (9.75")	CC: 192 mm (7.55")
44-230	OL: 280 mm (11.00")	CC: 224 mm (8.80")
44-232	OL: 344 mm (13.55")	CC: 288 mm (11.35")
44-234	OL: 376 mm (14.80")	CC: 320 mm (12.60")
44-236	OL: 420 mm (16.55")	CC: 352 mm (13.85")
44-238	OL: 452 mm (17.80")	CC: 384 mm (15.10")
44-240	OL: 548 mm (21.55")	CC: 480 mm (18.90")

* AMERICAN REMODELING SIZES



44-200

Ø: 8 mm (0.30")
P: 30 mm (1.20")

stocked in 4 different lengths

44-200	OL: 104 mm (4.10")	CC: 96 mm (3.75")
44-202	OL: 136 mm (5.35")	CC: 128 mm (5.00")
44-204	OL: 168 mm (6.60")	CC: 160 mm (6.30")
44-206	OL: 200 mm (7.85")	CC: 192 mm (7.55")



44-178

Ø: 8 mm (0.30")
P: 31 mm (1.20")

stocked in 6 different lengths

44-176	OL: 134 mm (5.30")	CC: 128 mm (5.00")
44-178	OL: 166 mm (6.55")	CC: 160 mm (6.30")
44-180	OL: 198 mm (7.80")	CC: 192 mm (7.55")
44-182	OL: 294 mm (11.55")	CC: 288 mm (11.35")
44-184	OL: 358 mm (14.10")	CC: 352 mm (13.85")
44-186	OL: 454 mm (17.85")	CC: 448 mm (17.65")

Stainless Steel



Ø: 10 mm (0.40")
P: 25 mm (1.00")



44-332

44-334

44-336

44-332 OL: 132 mm (5.20") CC: 96 mm (3.75")
44-334 OL: 166 mm (6.55") CC: 128 mm (5.00")
44-336 OL: 200 mm (7.90") CC: 160 mm (6.30")



44-368

Ø: 25 mm (1.00")
P: 33 mm (1.30")



44-338

Ø: 13 mm (0.50")
P: 21 mm (0.85")



44-340

Ø: 18 mm (0.70")
P: 26 mm (1.05")



44-212

Ø: 13 mm (0.50")
P: 33 mm (1.30")

stocked in 7 different lengths

44-208	OL: 108 mm (4.25")	CC: 96 mm (3.75")
44-210	OL: 140 mm (5.50")	CC: 128 mm (5.00")
44-212	OL: 172 mm (6.75")	CC: 160 mm (6.30")
44-214	OL: 204 mm (8.05")	CC: 192 mm (7.55")
44-216	OL: 236 mm (9.30")	CC: 224 mm (8.80")
44-218	OL: 332 mm (13.05")	CC: 320 mm (12.60")
44-220	OL: 492 mm (19.35")	CC: 480 mm (18.90")



44-288

Ø: 14 mm (0.55")
P: 40 mm (1.60")

stocked in 7 different lengths

44-282	OL: 140 mm (5.50")	CC: 128 mm (5.00")
44-284	OL: 172 mm (6.75")	CC: 160 mm (6.30")
44-286	OL: 204 mm (8.05")	CC: 192 mm (7.55")
44-288	OL: 268 mm (10.55")	CC: 256 mm (10.10")
44-290	OL: 332 mm (13.05")	CC: 320 mm (12.60")
44-292	OL: 396 mm (15.60")	CC: 384 mm (15.10")
44-294	OL: 492 mm (19.35")	CC: 480 mm (18.90")



44-300

Ø: 14 mm (0.55")
P: 42 mm (1.65")

stocked in 7 different lengths

44-296	OL: 140 mm (5.50")	CC: 128 mm (5.00")
44-298	OL: 172 mm (6.75")	CC: 160 mm (6.30")
44-300	OL: 204 mm (8.05")	CC: 192 mm (7.55")
44-302	OL: 268 mm (10.55")	CC: 256 mm (10.10")
44-304	OL: 332 mm (13.05")	CC: 320 mm (12.60")
44-306	OL: 396 mm (15.60")	CC: 384 mm (15.10")
44-308	OL: 492 mm (19.35")	CC: 480 mm (18.90")



Stems - Zinc Alloy
Fine Brushed Nickel

44-190

Ø: 10 mm (0.40")
P: 38 mm (1.50")

stocked in 10 different lengths

44-187 *	OL: 90 mm (3.55")	CC: 2.75"
44-188	OL: 148 mm (5.85")	CC: 128 mm (5.00")
44-189 *	OL: 96 mm (3.75")	CC: 3"
44-190	OL: 180 mm (7.10")	CC: 160 mm (6.30")
44-191 *	OL: 109 mm (4.30")	CC: 3.5"
44-192	OL: 212 mm (8.35")	CC: 192 mm (7.55")
44-193 *	OL: 122 mm (4.80")	CC: 4"
44-194	OL: 308 mm (12.15")	CC: 288 mm (11.35")
44-196	OL: 372 mm (14.65")	CC: 352 mm (13.85")
44-198	OL: 468 mm (18.45")	CC: 448 mm (17.65")

These pulls are slanted on a 60° angle.

* AMERICAN REMODELING SIZES

Stainless Steel



44-328

OL: 42 mm (1.65")
CC: 32 mm (1.25")
Ø: 10 mm (0.40")
P: 26 mm (1.05")



44-330

OL: 42 mm (1.65")
CC: 32 mm (1.25")
Ø: 10 mm (0.40")
P: 36 mm (1.40")



44-114

Ø: 10 mm (0.40")
P: 35 mm (1.40")

stocked in 9 different lengths

44-110	OL: 74 mm (2.90")	CC: 64 mm (2.50")
44-112	OL: 106 mm (4.15")	CC: 96 mm (3.75")
44-114	OL: 138 mm (5.45")	CC: 128 mm (5.00")
44-116	OL: 170 mm (6.70")	CC: 160 mm (6.30")
44-118	OL: 202 mm (7.95")	CC: 192 mm (7.55")
44-120	OL: 234 mm (9.20")	CC: 224 mm (8.80")
44-122	OL: 330 mm (13.00")	CC: 320 mm (12.60")
44-124	OL: 426 mm (16.75")	CC: 416 mm (16.40")
44-126	OL: 522 mm (20.55")	CC: 512 mm (20.15")



44-280



44-278



44-276

44-276	Ø: 20 mm (0.80")	P: 24 mm (0.95")
44-278	Ø: 24 mm (0.95")	P: 29 mm (1.15")
44-280	Ø: 29 mm (1.15")	P: 35 mm (1.40")

44-151	Ø: 15 mm (0.60")	P: 17 mm (0.65")
44-152	Ø: 20 mm (0.80")	P: 25 mm (1.00")
44-154	Ø: 24 mm (0.95")	P: 29 mm (1.15")
44-156	Ø: 28 mm (1.10")	P: 32 mm (1.25")
44-158	Ø: 34 mm (1.35")	P: 40 mm (1.60")



44-151



44-156



44-154



44-152



44-158



44-128



44-132



44-138

Ø: 10 mm (0.40")
P: 35 mm (1.40")

stocked in 9 different lengths

44-128	OL: 42 mm (1.65")	CC: 32 mm (1.25")
44-130	OL: 74 mm (2.90")	CC: 64 mm (2.50")
44-132	OL: 111 mm (4.35")	CC: 96 mm (3.75")
44-134	OL: 145 mm (5.70")	CC: 128 mm (5.00")
44-136	OL: 184 mm (7.25")	CC: 160 mm (6.30")
44-138	OL: 223 mm (8.80")	CC: 192 mm (7.55")
44-310	OL: 259 mm (10.20")	CC: 224 mm (8.80")
44-312	OL: 371 mm (14.60")	CC: 320 mm (12.60")
44-314	OL: 485 mm (19.10")	CC: 416 mm (16.40")

- 44-170 Ø: 20 mm (0.80") P: 28 mm (1.10")
- 44-171 Ø: 10 mm (0.40") P: 24 mm (0.95")
- 44-172 Ø: 25 mm (1.00") P: 30 mm (1.20")
- 44-173 Ø: 15 mm (0.60") P: 26 mm (1.05")
- 44-174 Ø: 30 mm (1.20") P: 33 mm (1.30")



44-174



44-172



44-173



44-170



44-171



44-326



44-322



44-324



44-320



44-166

Ø: 12 mm (0.45")
P: 21 mm (0.85")

- 44-320 Ø: 20 mm (0.80") P: 17 mm (0.65")
- 44-322 Ø: 25 mm (1.00") P: 21 mm (0.85")
- 44-324 Ø: 30 mm (1.20") P: 24 mm (0.95")
- 44-326 Ø: 35 mm (1.40") P: 27 mm (1.05")




44-168


Ø: 11 mm (0.45")
P: 21 mm (0.85")



44-315



44-316



44-318

Ø: 8 mm (0.30")
P: 32 mm (1.25")



44-164



44-162




44-160

- 44-315 OL: 87 mm (3.45") CC: adjustable
- 44-316 OL: 119 mm (4.70") CC: adjustable
- 44-318 OL: 151 mm (5.95") CC: adjustable

- 44-160 Ø: 25 mm (1.00") P: 20 mm (0.80")
- 44-162 Ø: 30 mm (1.20") P: 23 mm (0.90")
- 44-164 Ø: 35 mm (1.40") P: 27 mm (1.05")

Stainless Steel



44-364
Hook Rail

OL: 322 mm (12.70")
CC: 298 mm (11.75")
W: 39 mm (1.55")
P: 47 mm (1.85")



44-364-A
End Caps

OL: 39 mm (1.55")
W: 40 mm (1.60")
P: 9 mm (0.35")



44-364-B
Connecting Element

OL: 52 mm (2.05")
CC: 26 mm (1.00")
W: 40 mm (1.60")
P: 9 mm (0.35")



44-272

OL: 167 mm (6.55")
CC: 32 mm (1.25")
Ø: 12 mm (0.50")
P: 88 mm (3.45")



44-274

OL: 85 mm (3.35")
CC: 32 mm (1.25")
Ø: 12 mm (0.50")
P: 65 mm (2.55")



44-343

Disc Ø: 34 mm (1.35")
 Ø: 15 mm (0.60")
 P: 62 mm (2.45")



44-341

Disc Ø: 34 mm (1.35")
 Ø: 15 mm (0.60")
 P: 27 mm (1.05")





44-342

Disc Ø: 34 mm (1.35")
 Ø: 15 mm (0.60")
 P: 42 mm (1.65")



44-390

Disc Ø: 42 mm (1.65")
 CC: 28 mm (1.10")
 W: 64 mm (2.50")
 P: 32 mm (1.25")



or

Backplate: 35 mm x 35 mm (1.40" x 1.40")

44-386 W: 14 mm (0.55") P: 42 mm (1.65")

44-388 W: 14 mm (0.55") P: 62 mm (2.45")



Backplate: 35 mm x 35 mm (1.40" x 1.40")

44-365 W: 14 mm (0.55") P: 27 mm (1.05")

44-366 W: 14 mm (0.55") P: 42 mm (1.65")

44-367 W: 14 mm (0.55") P: 62 mm (2.45")



44-392

Disc Ø: 35 mm (1.40")
 Ø: 15 mm (0.60")
 P: 42 mm (1.65")

Stainless Steel



44-382 Ø: 10 mm (0.40") P: 25 mm (1.00")

44-384 Ø: 14 mm (0.55") P: 25 mm (1.00")

44-370 Ø: 16 mm (0.65") P: 19 mm (0.75")

44-372 Ø: 20 mm (0.80") P: 24 mm (0.95")

44-374 Ø: 23 mm (0.90") P: 28 mm (1.10")

44-376 Ø: 10 mm (0.40") P: 21 mm (0.85")

44-378 Ø: 15 mm (0.60") P: 24 mm (0.95")

44-380 Ø: 18 mm (0.70") P: 15 mm (0.60")

44-140

44-146

44-150 Ø: 10 mm (0.40") P: 32 mm (1.25")

stocked in 6 different lengths

44-140	OL: 42 mm (1.65")	CC: 32 mm (1.25")
44-142	OL: 74 mm (2.90")	CC: 64 mm (2.50")
44-144	OL: 111 mm (4.35")	CC: 96 mm (3.75")
44-146	OL: 145 mm (5.70")	CC: 128 mm (5.00")
44-148	OL: 184 mm (7.25")	CC: 160 mm (6.30")
44-150	OL: 223 mm (8.80")	CC: 192 mm (7.55")



44-172-P

Ø: 25 mm (1.00")
P: 30 mm (1.20")

Polished Finish



44-342-P

OL: 34 mm (1.35")
Ø: 15 mm (0.55")
P: 42 mm (1.65")



44-278-P Ø: 20 mm (0.80") P: 24 mm (0.90")

44-280-P Ø: 29 mm (1.55") P: 35 mm (1.40")



All Hooks Fine Brushed Finish




44-406

OL: 179 mm (7.05")
CC: 32 mm (1.25")
W: 77 mm (3.05")
P: 65 mm (2.55")




44-408

OL: 101 mm (4.00")
CC: 32 mm (1.25")
W: 77 mm (3.05")
P: 39 mm (1.55")



OL: 150 mm (5.90")
P: 50 mm (1.95")




OL: 150 mm (5.90")
P: 50 mm (1.55")

44-410 (2 Hooks) W: 140 mm (5.50") CC: 128 mm (5.00")

44-412 (4 Hooks) W: 300 mm (11.80") CC: 278 mm (10.95")

44-414 (6 Hooks) W: 460 mm (18.10") CC: 438 mm (17.25")

44-396 (3 Hooks) W: 220 mm (8.65") CC: 196 mm (7.70")
44-398 (5 Hooks) W: 380 mm (14.95") CC: 356 mm (14.00")



OL: 84 mm (3.30")
P: 50 mm (1.55")

44-400 (3 Hooks) W: 220 mm (8.65") CC: 196 mm (7.70")

44-402 (4 Hooks) W: 300 mm (11.80") CC: 276 mm (10.85")

44-404 (5 Hooks) W: 380 mm (14.95") CC: 356 mm (14.00")



46-160
Bright Chrome



46-162
Matte Chrome



46-164
Matte Nickel



46-166
Fine Brushed Nickel

OL: 128 mm (5.00")
CC: 96 mm (3.75")
W: 18 mm (0.70")
P: 28 mm (1.10")

- 46-140 Bright Chrome
- 46-142 Matte Chrome
- 46-144 Matte Nickel
- 46-146 Fine Brushed Nickel



46-144
Matte Nickel

OL: 160 mm (6.30")
CC: 128 mm (5.00")
W: 18 mm (0.70")
P: 28 mm (1.10")



46-100
Bright Chrome



46-102
Matte Chrome



46-104
Matte Nickel



46-106
Fine Brushed Nickel

Ø: 34 mm (1.35")
P: 27 mm (1.05")



96-100
Bright Chrome



96-106
Bright Chrome




96-112
Bright Chrome



96-104
Fine Brushed Nickel



96-110
Fine Brushed Nickel



96-116
Fine Brushed Nickel

OL: 185 mm (7.30")
CC: 160 mm (6.30")
W: 18 mm (0.70")
P: 39 mm (1.55")

OL: 30 mm (1.20")
CC: 16 mm (0.65")
W: 30 mm (1.20")
P: 40 mm (1.55")

OL: 150 mm (5.90")
CC: 128 mm (5.00")
W: 46 mm (1.80")
P: 40 mm (1.55")

Trapeze

Zinc Alloy



121-100
Bright Chrome



121-102
Fine Brushed Nickel

OL: 72 mm (2.85")
CC: 64 mm (2.50")
W: 72 mm (2.85")
P: 31 mm (1.20")



W: 10 mm (0.40")
P: 34 mm (1.30")

Stocked in 2 different lengths

121-104	OL: 210 mm (8.30")	CC: 160 mm (6.30")	Bright Chrome
121-106	OL: 370 mm (14.55")	CC: 320 mm (12.60")	Bright Chrome
121-108	OL: 210 mm (8.30")	CC: 160 mm (6.30")	Fine Brushed Nickel
121-110	OL: 370 mm (14.55")	CC: 320 mm (12.60")	Fine Brushed Nickel

Stocked in 3 different lengths

121-112	OL: 145 mm (5.70")	CC: 128 mm (5.00")	Bright Chrome
121-114	OL: 209 mm (8.25")	CC: 192 mm (7.55")	Bright Chrome
121-116	OL: 337 mm (13.25")	CC: 320 mm (12.60")	Bright Chrome
121-118	OL: 145 mm (5.70")	CC: 128 mm (5.00")	Fine Brushed Nickel
121-120	OL: 209 mm (8.25")	CC: 192 mm (7.55")	Fine Brushed Nickel
121-122	OL: 337 mm (13.25")	CC: 320 mm (12.60")	Fine Brushed Nickel

W: 15 mm (0.60")
P: 30 mm (1.20")

Zinc Alloy



126-100
Bright Chrome / Blue



126-104
Matte Chrome / Black



126-108
Matte Zinc / Green

OL: 134 mm (5.30")
CC: 96 mm (3.75")
W: 21 mm (0.85")
P: 29 mm (1.15")



126-102
Bright Chrome / Blue



126-106
Matte chrome / Black

Ø: 40 mm (1.55")
P: 27 mm (1.05")



126-110
Matte Zinc / Green

Vega

Zinc Alloy



Vermont

Wood



28-248
Clear Lacquered
Maple



28-244
Clear Lacquered
Cherry



28-246
Unfinished Maple



28-242
Unfinished Cherry

Ø: 35 mm (1.40")
P: 26 mm (1.00")

Polyresin



79-130
Antique Silver

OL: 45 mm (1.75")
W: 22 mm (0.85")
P: 29 mm (1.15")



79-132
Antique Brass



79-146
Antique Silver

OL: 27 mm (1.05")
W: 23 mm (0.90")
P: 30 mm (1.20")



79-148
Antique Brass



79-134
Antique Silver



79-138
Antique Silver



79-142
Antique Silver



79-136
Antique Brass

OL: 32 mm (1.25")
W: 30 mm (1.20")
P: 24 mm (0.95")



79-140
Antique Brass

OL: 34 mm (1.35")
W: 27 mm (1.05")
P: 23 mm (0.90")




79-144
Antique Brass

OL: 50 mm (1.95")
W: 45 mm (1.75")
P: 20 mm (0.80")



Wave

Zinc Alloy



118-104

W: 59 mm (2.30")
P: 24 mm (0.95")



118-108



118-100

118-100	OL: 60 mm (2.35")	CC: 32 mm (1.25")	Bright Chrome
118-102	OL: 124 mm (4.90")	CC: 64 mm (2.50") or 96 mm (3.75")	Bright Chrome
118-104	OL: 156 mm (6.15")	CC: 96 mm (3.75") or 128 mm (5.00")	Bright Chrome
118-106	OL: 60 mm (2.35")	CC: 32 mm (1.25")	Fine Brushed Nickel
118-108	OL: 124 mm (4.90")	CC: 64 mm (2.50") or 96 mm (3.75")	Fine Brushed Nickel
118-110	OL: 156 mm (6.15")	CC: 96 mm (3.75") or 128 mm (5.00")	Fine Brushed Nickel



Zinc Alloy / Acrylic



Ø: 34 mm (1.35")
P: 28 mm (1.10")

- 123-100 Bright Chrome / White
- 123-102 Fine Brushed Nickel / Smoke

OL: 149 mm (5.85")
CC: 128 mm (5.00")
W: 22 mm (0.85")
P: 26 mm (1.05")



- 123-104 Bright Chrome / White
- 123-106 Fine Brushed Nickel / Smoke


Glass / Shower Door Knobs (Set of 2)
For Door Thickness 5 - 12 mm (0.20" - 0.45")



- 123-500 Bright Chrome / White



Select popular styles
in our new Aged Nickel finish.



W: 9 mm (0.35")
P: 30 mm (1.20")

124-100 OL: 140 mm (5.50") CC: 128 mm (5.00")
124-102 OL: 172 mm (6.75") CC: 160 mm (6.30")
124-104 OL: 204 mm (8.05") CC: 192 mm (7.55")



124-106

OL: 161 mm (6.35")
CC: 128 mm (5.00")
W: 20 mm (0.80")
P: 27 mm (1.05")



W: 8 mm (0.30")
P: 33 mm (1.30")

124-108 OL: 118 mm (4.65") CC: 96 mm (3.75")
124-110 OL: 182 mm (7.15") CC: 160 mm (6.30")



W: 12 mm (0.45")
P: 31 mm (1.20")

124-112 OL: 173 mm (6.80") CC: 160 mm (6.30")
124-114 OL: 333 mm (13.10") CC: 320 mm (12.60")

Zinc Alloy

Hook



ETC-014
Bright Brass



ETC-013
Matte Nickel



ETC-012
Matte Chrome



ETC-011
Bright Chrome

Ø: 11 mm (0.45")
P: 40 mm (1.55")




ETC-015
Bright Chrome

OL: 136 mm (5.35")
CC: 128 mm (5.00")
Ø: 14 mm (0.55")
P: 33 mm (1.30")



Aluminum




ETC-001
Matte Aluminum

Suitable for door and
drawer thickness of
12 mm - 22 mm (1/2" - 7/8").



ETC-002
White



ETC-003
Matte Black



ETC-004
Fine Brushed Nickel

OL: 45 mm (1.75")
CC: 32 mm (1.25")
W: 20 mm (0.80")
P: 50 mm (1.95")

Etcetera



OL: 50 mm (1.95")
W: 20 mm (0.80")
P: 40 mm (1.55")

ETC-006
Bright Chrome



ETC-007
Fine Brushed Nickel



ETC-008
Antique Brass



ETC-009
Antique Pewter



Slot in cup pull can hold a label!

ETC-030 Antique Brass
ETC-031 Antique Polished Pewter

OL: 83 mm (3.25")
CC: 32 mm (1.25")
W: 63 mm (2.50")
P: 26 mm (1.00")



OL: 144 mm (5.65")
CC: 96 mm (3.75")
W: 22 mm (0.85")
P: 30 mm (1.20")

ETC-028 Antique Brass
ETC-029 Antique Polished Pewter



ETC-016
Bright Nickel

OL: 130 mm (5.10")
CC: 96 mm (3.75")
W: 25 mm (1.00")
P: 28 mm (1.10")

Hook



Ø: 18 mm (0.70")
P: 53 mm (2.10")

ETC-017 Bright Chrome
ETC-018 Fine Brushed Nickel



Ø: 16 mm (0.65")
W: 38 mm (1.50")
P: 30 mm (1.20")

ETC-021 Antique Brass
ETC-022 Fine Brushed Nickel
ETC-023 Antique Pewter



Ø: 12 mm (0.45")
P: 25 mm (1.00")

ETC-019 Bright Chrome
ETC-020 Fine Brushed Nickel



ETC-024
Antique Brushed Brass

OL: 44 mm (1.75")
W: 26 mm (1.00")
P: 22 mm (0.85")



ETC-027
Antique Brass

Ø: 19 mm (0.75")
P: 25 mm (1.00")

ETC-026
Antique Brass

OL: 110 mm (4.35")
CC: 96 mm (3.75")
W: 18 mm (0.70")
P: 21 mm (0.85")



ETC-025
Antique Brushed Brass

OL: 108 mm (4.25")
CC: 96 mm (3.75")
W: 26 mm (1.00")
P: 22 mm (0.85")



ETC-032 Antique Brass
ETC-033 Antique Pewter

OL: 137 mm (5.40")
W: 18 mm (0.70")
Knob Ø: 30 mm (1.20")
P: 26 mm (1.00")



ETC-034 Antique Brass
ETC-035 Antique Pewter

OL: 141 mm (5.55")
W: 18 mm (0.70")
Knob Ø: 25 mm (1.00")
P: 24 mm (0.95")



ETC-036 Antique Brass
ETC-037 Antique Pewter

Ø: 37 mm (1.45")
P: 28 mm (1.10")